

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : EP GEAR OIL ISO 100  
Product code : 4108  
Type of product : WOC  
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use  
Industrial/Professional use spec : Non-dispersive use  
Used in closed systems  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

WOLF OIL CORPORATION N.V.  
Georges Gilliotstraat, 52  
2620 Hemiksem, Antwerpen  
België  
T 0032 (0)3 870 00 00, F 0032 (0)3 870 00 99  
[msds@wolfoil.com](mailto:msds@wolfoil.com)

#### 1.4. Emergency telephone number

Emergency number : 0032 (0)3 870 00 00

| Country/Area | Organisation/Company                                          | Address                                 | Emergency number                                                                                       | Comment |
|--------------|---------------------------------------------------------------|-----------------------------------------|--------------------------------------------------------------------------------------------------------|---------|
| Ireland      | National Poisons Information Centre<br>Beaumont Hospital      | PO Box 1297<br>Beaumont Road<br>9       | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |         |
| Israel       | Israel Poison Information Center<br>Rambam Health Care Campus | 6 Ha'Aliya Street<br>31096              | +972 4 854 1900                                                                                        |         |
| Malta        | Medicines & Poisons Info Office                               | Mater Dei Hospital<br>Msida<br>MSD 2090 | +356 2545 6508                                                                                         |         |
| Sweden       | Giftinformationscentralen                                     | Box 60 500<br>171 76 Stockholm          | 112 – begär<br>Giftinformation<br>+46 10 456 6700 (Från<br>utlandet)                                   |         |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

# EP GEAR OIL ISO 100

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Comments : The mineral oils in the product contain < 3% DMSO extract (IP 346)

| Name                                 | Product identifier                                                     | %            | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                                                                                               |
|--------------------------------------|------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Polysulphides, di-tert-Bu            | CAS-No.: 68937-96-2<br>EC-No.: 273-103-3<br>REACH-no: 01-2119540515-43 | 0.1 – 0.99   | Skin Sens. 1B, H317<br>Aquatic Chronic 3, H412                                                                                                                                |
| Phosphoric acid ester amine salt     | EC-No.: 931-384-6<br>REACH-no: 01-2119493620-38                        | 0.1 – 0.24   | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight)<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317<br>Aquatic Chronic 2, H411                                                   |
| (Z)-N-octadecenylpropane-1,3-diamine | CAS-No.: 7173-62-8<br>EC-No.: 230-528-9<br>REACH-no: 01-2119487002-46  | 0.01 – 0.024 | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight)<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>STOT RE 1, H372<br>Aquatic Acute 1, H400 (M=10)<br>Aquatic Chronic 1, H410 |
| Methyl-1H-benzotriazole              | CAS-No.: 29385-43-1<br>EC-No.: 249-596-6<br>REACH-no: 01-2119979081-35 | 0.0099       | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight)<br>Repr. 2, H361<br>Aquatic Chronic 2, H411                                                                              |

### Specific concentration limits:

| Name                      | Product identifier                                                     | Specific concentration limits (%)  |
|---------------------------|------------------------------------------------------------------------|------------------------------------|
| Polysulphides, di-tert-Bu | CAS-No.: 68937-96-2<br>EC-No.: 273-103-3<br>REACH-no: 01-2119540515-43 | (46 ≤ C < 100) Skin Sens. 1B, H317 |

# EP GEAR OIL ISO 100

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Specific concentration limits:

| Name                             | Product identifier                              | Specific concentration limits (%)                                           |
|----------------------------------|-------------------------------------------------|-----------------------------------------------------------------------------|
| Phosphoric acid ester amine salt | EC-No.: 931-384-6<br>REACH-no: 01-2119493620-38 | (9.39 ≤ C < 100) Skin Sens. 1, H317<br>(50.01 ≤ C < 100) Eye Irrit. 2, H319 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |                                                                                 |
|---------------------------------------|---------------------------------------------------------------------------------|
| First-aid measures after inhalation   | : Not expected to require first aid measures.                                   |
| First-aid measures after skin contact | : Wash skin with mild soap and water.                                           |
| First-aid measures after eye contact  | : In case of eye contact, immediately rinse with clean water for 10-15 minutes. |
| First-aid measures after ingestion    | : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.  |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |                                                                                                        |
|-------------------------------------|--------------------------------------------------------------------------------------------------------|
| Symptoms/effects after inhalation   | : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.  |
| Symptoms/effects after skin contact | : Not expected to present a significant skin hazard under anticipated conditions of normal use.        |
| Symptoms/effects after eye contact  | : Not expected to present a significant eye contact hazard under anticipated conditions of normal use. |
| Symptoms/effects after ingestion    | : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.   |

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |                                                  |
|--------------------------------|--------------------------------------------------|
| Suitable extinguishing media   | : Water fog. Foam. Powder. Dry chemical product. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.               |

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

|                                |                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------|
| Precautionary measures fire    | : Exercise caution when fighting any chemical fire.                                             |
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers.                                        |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

|                      |                                                 |
|----------------------|-------------------------------------------------|
| Protective equipment | : Wear suitable protective clothing and gloves. |
|----------------------|-------------------------------------------------|

#### 6.1.2. For emergency responders

|                      |                                                 |
|----------------------|-------------------------------------------------|
| Protective equipment | : Wear suitable protective clothing and gloves. |
|----------------------|-------------------------------------------------|

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

# EP GEAR OIL ISO 100

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.3. Methods and material for containment and cleaning up

|                         |                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------|
| For containment         | : Impound and recover large spill by mixing it with inert granular solids.            |
| Methods for cleaning up | : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr. |
| Other information       | : Spill area may be slippery. Use suitable disposal containers.                       |

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                               |                                                                                                                         |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Precautions for safe handling | : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.                 |
| Handling temperature          | : < 40 °C                                                                                                               |
| Hygiene measures              | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. |

### 7.2. Conditions for safe storage, including any incompatibilities

|                     |                                             |
|---------------------|---------------------------------------------|
| Storage temperature | : ≤ 40 °C                                   |
| Storage area        | : Store in dry, cool, well-ventilated area. |

#### Germany

|                               |                                                                |
|-------------------------------|----------------------------------------------------------------|
| Storage class (LGK, TRGS 510) | : LGK 10-13 - Other combustible and non-combustible substances |
|-------------------------------|----------------------------------------------------------------|

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

|                        |                                                                                                                                                                                            |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Additional information | : 5 mg/m <sup>3</sup> for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition). |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

Safety glasses. Gloves.

# EP GEAR OIL ISO 100

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

No additional information available

#### 8.2.2.2. Skin protection

##### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

##### Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                 |                                                               |
|-------------------------------------------------|---------------------------------------------------------------|
| Physical state                                  | : Liquid                                                      |
| Colour                                          | : brown.                                                      |
| Appearance                                      | : Oily liquid.                                                |
| Odour                                           | : Characteristic.                                             |
| Odour threshold                                 | : Not available                                               |
| Melting point                                   | : Not available                                               |
| Freezing point                                  | : Not available                                               |
| Boiling point                                   | : Not available                                               |
| Flammability                                    | : Not available                                               |
| Lower explosion limit                           | : Not available                                               |
| Upper explosion limit                           | : Not available                                               |
| Flash point                                     | : 235 °C (ASTM D92)                                           |
| Auto-ignition temperature                       | : Not available                                               |
| Decomposition temperature                       | : Not available                                               |
| pH                                              | : Not available                                               |
| Viscosity, kinematic                            | : 100 mm <sup>2</sup> /s @40°C (ASTM D445)                    |
| Solubility                                      | : Slightly soluble, the product remains on the water surface. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                                               |
| Vapour pressure                                 | : Not available                                               |
| Vapour pressure at 50°C                         | : Not available                                               |
| Density                                         | : 885 kg/m <sup>3</sup> @15°C (ASTM D4052)                    |
| Relative density                                | : Not available                                               |
| Relative vapour density at 20°C                 | : Not available                                               |
| Particle characteristics                        | : Not applicable                                              |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

# EP GEAR OIL ISO 100

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal conditions.

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

| Methyl-1H-benzotriazole (29385-43-1) |              |
|--------------------------------------|--------------|
| LD50 oral rat                        | 720 mg/kg    |
| LD50 dermal rabbit                   | > 2000 mg/kg |

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

| Phosphoric acid ester amine salt |                                          |
|----------------------------------|------------------------------------------|
| NOAEL (oral, rat, 90 days)       | 150 mg/kg bodyweight/day @28d (OECD 407) |

| (Z)-N-octadecenylpropane-1,3-diamine (7173-62-8) |                                                                 |
|--------------------------------------------------|-----------------------------------------------------------------|
| STOT-repeated exposure                           | Causes damage to organs through prolonged or repeated exposure. |
| Aspiration hazard                                | : Not classified                                                |

| EP GEAR OIL ISO 100  |                             |
|----------------------|-----------------------------|
| Viscosity, kinematic | 100 mm²/s @40°C (ASTM D445) |

# EP GEAR OIL ISO 100

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### Polysulphides, di-tert-Bu (68937-96-2)

|                      |         |
|----------------------|---------|
| EC50 - Crustacea [1] | 63 mg/l |
|----------------------|---------|

|                      |            |
|----------------------|------------|
| EC50 72h - Algae [2] | > 100 mg/l |
|----------------------|------------|

#### Phosphoric acid ester amine salt

|                 |                             |
|-----------------|-----------------------------|
| LC50 - Fish [1] | 24 mg/l Oncorhynchus mykiss |
|-----------------|-----------------------------|

|                 |                              |
|-----------------|------------------------------|
| LC50 - Fish [2] | 8.5 mg/l Pimephales promelas |
|-----------------|------------------------------|

|                      |                         |
|----------------------|-------------------------|
| EC50 - Crustacea [1] | 91.4 mg/l Daphnia magna |
|----------------------|-------------------------|

|                      |                                    |
|----------------------|------------------------------------|
| EC50 96h - Algae [1] | 6.4 mg/l Selenastrum capricornutum |
|----------------------|------------------------------------|

|                |                                  |
|----------------|----------------------------------|
| NOEC (chronic) | 3.2 mg/l Oncorhynchus mykiss @4d |
|----------------|----------------------------------|

|                        |                              |
|------------------------|------------------------------|
| NOEC chronic crustacea | 0.12 mg/l Daphnia magna @21d |
|------------------------|------------------------------|

|                    |                                        |
|--------------------|----------------------------------------|
| NOEC chronic algae | 1.7 mg/l Selenastrum capricornutum @4d |
|--------------------|----------------------------------------|

#### (Z)-N-octadecenylpropane-1,3-diamine (7173-62-8)

|                 |                                |
|-----------------|--------------------------------|
| LC50 - Fish [1] | > 0.1 mg/l (Brachydanio rerio) |
|-----------------|--------------------------------|

|                      |                             |
|----------------------|-----------------------------|
| EC50 - Crustacea [1] | > 0.01 mg/l (Daphnia magna) |
|----------------------|-----------------------------|

|                      |             |
|----------------------|-------------|
| EC50 72h - Algae [1] | > 0.01 mg/l |
|----------------------|-------------|

|                        |                                   |
|------------------------|-----------------------------------|
| NOEC chronic crustacea | > 0.001 mg/l @21d (Daphnia magna) |
|------------------------|-----------------------------------|

#### Methyl-1H-benzotriazole (29385-43-1)

|                 |                                 |
|-----------------|---------------------------------|
| LC50 - Fish [1] | 25.5 mg/l (Pimephales promelas) |
|-----------------|---------------------------------|

|                 |                             |
|-----------------|-----------------------------|
| LC50 - Fish [2] | 65 mg/l (Brachydanio rerio) |
|-----------------|-----------------------------|

|                                    |          |
|------------------------------------|----------|
| LC50 - Other aquatic organisms [1] | 180 mg/l |
|------------------------------------|----------|

|                      |                           |
|----------------------|---------------------------|
| EC50 - Crustacea [1] | 87.4 mg/l (Daphnia magna) |
|----------------------|---------------------------|

|                      |                         |
|----------------------|-------------------------|
| EC50 - Crustacea [2] | 55 mg/l (Daphnia magna) |
|----------------------|-------------------------|

|                      |                                     |
|----------------------|-------------------------------------|
| EC50 72h - Algae [1] | 62 mg/l (Selenastrum capricornutum) |
|----------------------|-------------------------------------|

|             |         |
|-------------|---------|
| ErC50 algae | 75 mg/l |
|-------------|---------|

|                        |                                 |
|------------------------|---------------------------------|
| NOEC chronic crustacea | 18.4 mg/l @21DY (Daphnia magna) |
|------------------------|---------------------------------|

|                    |         |
|--------------------|---------|
| NOEC chronic algae | 30 mg/l |
|--------------------|---------|

### 12.2. Persistence and degradability

#### EP GEAR OIL ISO 100

|                               |                                                        |
|-------------------------------|--------------------------------------------------------|
| Persistence and degradability | Not soluble in water, so only minimally biodegradable. |
|-------------------------------|--------------------------------------------------------|

# EP GEAR OIL ISO 100

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Polysulphides, di-tert-Bu (68937-96-2)

|                               |                      |
|-------------------------------|----------------------|
| Persistence and degradability | Rapidly degradable   |
| Biodegradation                | 13 % % @OECD TG @28d |

### Phosphoric acid ester amine salt

|                               |                                   |
|-------------------------------|-----------------------------------|
| Persistence and degradability | Rapidly degradable                |
| BOD (% of ThOD)               | 3.6 % ThOD @28d inherent sediment |
| Biodegradation                | 7.4 % Sturm (28d) OECD TG 301B    |

### (Z)-N-octadecenylpropane-1,3-diamine (7173-62-8)

|                               |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

### Methyl-1H-benzotriazole (29385-43-1)

|                               |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
| Biodegradation                | 4 %                |

## 12.3. Bioaccumulative potential

### Polysulphides, di-tert-Bu (68937-96-2)

|                                                 |   |
|-------------------------------------------------|---|
| Partition coefficient n-octanol/water (Log Kow) | 6 |
|-------------------------------------------------|---|

### Methyl-1H-benzotriazole (29385-43-1)

|                                                 |                                    |
|-------------------------------------------------|------------------------------------|
| Partition coefficient n-octanol/water (Log Kow) | 1.71 ( $\geq 1.079 - \leq 1.083$ ) |
| Bioaccumulative potential                       | No data available.                 |

## 12.4. Mobility in soil

### Methyl-1H-benzotriazole (29385-43-1)

|                |                           |
|----------------|---------------------------|
| Ecology - soil | No information available. |
|----------------|---------------------------|

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

Not regulated for transport



# EP GEAR OIL ISO 100

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.2. UN proper shipping name

|                             |                  |
|-----------------------------|------------------|
| Proper Shipping Name (ADR)  | : Not applicable |
| Proper Shipping Name (IMDG) | : Not applicable |
| Proper Shipping Name (IATA) | : Not applicable |
| Proper Shipping Name (ADN)  | : Not applicable |
| Proper Shipping Name (RID)  | : Not applicable |

### 14.3. Transport hazard class(es)

#### ADR

|                                  |                  |
|----------------------------------|------------------|
| Transport hazard class(es) (ADR) | : Not applicable |
|----------------------------------|------------------|

#### IMDG

|                                   |                  |
|-----------------------------------|------------------|
| Transport hazard class(es) (IMDG) | : Not applicable |
|-----------------------------------|------------------|

#### IATA

|                                   |                  |
|-----------------------------------|------------------|
| Transport hazard class(es) (IATA) | : Not applicable |
|-----------------------------------|------------------|

#### ADN

|                                  |                  |
|----------------------------------|------------------|
| Transport hazard class(es) (ADN) | : Not applicable |
|----------------------------------|------------------|

#### RID

|                                  |                  |
|----------------------------------|------------------|
| Transport hazard class(es) (RID) | : Not applicable |
|----------------------------------|------------------|

### 14.4. Packing group

|                      |                  |
|----------------------|------------------|
| Packing group (ADR)  | : Not applicable |
| Packing group (IMDG) | : Not applicable |
| Packing group (IATA) | : Not applicable |
| Packing group (ADN)  | : Not applicable |
| Packing group (RID)  | : Not applicable |

### 14.5. Environmental hazards

|                   |                                          |
|-------------------|------------------------------------------|
| Other information | : No supplementary information available |
|-------------------|------------------------------------------|

### 14.6. Special precautions for user

#### Overland transport

No data available

#### Transport by sea

No data available

#### Air transport

No data available

#### Inland waterway transport

No data available

#### Rail transport

No data available

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# EP GEAR OIL ISO 100

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

###### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

###### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

###### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

###### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

###### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

###### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

###### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

##### 15.1.2. National regulations

###### Germany

|                                            |                                                                                        |
|--------------------------------------------|----------------------------------------------------------------------------------------|
| Water hazard class (WGK)                   | : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). |
| List of sensitizing substances (TRGS 907)  | : Contains sensitizing substances according TRGS 907.                                  |
| Hazardous Incident Ordinance (12. BImSchV) | : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)                     |

###### Netherlands

|                                                      |                                       |
|------------------------------------------------------|---------------------------------------|
| SZW-lijst van kankerverwekkende stoffen              | : Polysulphides, di-tert-Bu is listed |
| SZW-lijst van mutagene stoffen                       | : Polysulphides, di-tert-Bu is listed |
| SZW-lijst van reprotoxische stoffen – Borstvoeding   | : None of the components are listed   |
| SZW-lijst van reprotoxische stoffen – Vruchtbaarheid | : None of the components are listed   |
| SZW-lijst van reprotoxische stoffen – Ontwikkeling   | : None of the components are listed   |

###### Denmark

|                             |                                                                                                        |
|-----------------------------|--------------------------------------------------------------------------------------------------------|
| Danish National Regulations | : Pregnant/breastfeeding women working with the product must not be in direct contact with the product |
|-----------------------------|--------------------------------------------------------------------------------------------------------|

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

# EP GEAR OIL ISO 100

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 16: Other information

#### Indication of changes

| Section | Changed item             | Change   | Comments |
|---------|--------------------------|----------|----------|
|         | Revision date            | Modified |          |
|         | Supersedes               | Modified |          |
| 9.1     | Viscosity, kinematic     | Modified |          |
| 9.1     | Density                  | Modified |          |
| 9.1     | Flash point              | Modified |          |
| 15.1    | Water hazard class (WGK) | Modified |          |

#### Abbreviations and acronyms:

|  |                                                                                                                      |
|--|----------------------------------------------------------------------------------------------------------------------|
|  | ACGIH: American Conference of Governmental Industrial Hygienists                                                     |
|  | TWA: Time Weighted Average                                                                                           |
|  | TLV: Threshold Limit Value                                                                                           |
|  | ASTM: American Society for Testing and Materials                                                                     |
|  | ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route                       |
|  | RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail                                    |
|  | ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin |
|  | IMDG: International Maritime Dangerous Goods                                                                         |
|  | ICAO: International Civil Aviation Organization                                                                      |
|  | IATA: International Air Transport Association                                                                        |
|  | STEL: Short Term Exposure Limit                                                                                      |
|  | LD50: median Lethal Dose for 50% of subjects                                                                         |
|  | ATE: acute toxicity estimate                                                                                         |
|  | LC50: median Lethal Concentration for 50% of subjects                                                                |
|  | EC50: concentration producing 50% effect                                                                             |

#### Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

#### Full text of H- and EUH-statements:

|                     |                                                                   |
|---------------------|-------------------------------------------------------------------|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4                                 |
| Aquatic Acute 1     | Hazardous to the aquatic environment – Acute Hazard, Category 1   |
| Aquatic Chronic 1   | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2   | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3   | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |

# EP GEAR OIL ISO 100

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: |                                                                 |
|-------------------------------------|-----------------------------------------------------------------|
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1                   |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                   |
| H302                                | Harmful if swallowed.                                           |
| H314                                | Causes severe skin burns and eye damage.                        |
| H317                                | May cause an allergic skin reaction.                            |
| H318                                | Causes serious eye damage.                                      |
| H319                                | Causes serious eye irritation.                                  |
| H361                                | Suspected of damaging fertility or the unborn child.            |
| H372                                | Causes damage to organs through prolonged or repeated exposure. |
| H400                                | Very toxic to aquatic life.                                     |
| H410                                | Very toxic to aquatic life with long lasting effects.           |
| H411                                | Toxic to aquatic life with long lasting effects.                |
| H412                                | Harmful to aquatic life with long lasting effects.              |
| Repr. 2                             | Reproductive toxicity, Category 2                               |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1, Sub-Category 1B          |
| Skin Sens. 1                        | Skin sensitisation, Category 1                                  |
| Skin Sens. 1B                       | Skin sensitisation, category 1B                                 |
| STOT RE 1                           | Specific target organ toxicity – Repeated exposure, Category 1  |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.