

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 28/09/2018 Revision date: 30/01/2023 Supersedes version of: 07/01/2021 Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: WOLF OFFICIALTECH 5W40 C3
Product code	: 65630
Type of product	: WOLF
Product group	: Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use, Consumer use
Industrial/Professional use spec	: Non-dispersive use
	Used in closed systems
Function or use category	: Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

WOLF OIL CORPORATION N.V. Georges Gilliotstraat, 52, 52 2620 Hemiksem - Antwerpen Belaië T 0032 (0)3 870 00 00 - F 0032 (0)3 870 00 99 msds@wolfoil.com - https://www.wolflubes.com/

1.4. Emergency telephone number

Emergency number

: 0032 (0)3 870 00 00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: EUH208 - Contains C14-16-18 Alkylphenol. May produce an allergic reaction. EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: The mineral oils in the product contain < 3% DMSO extract (IP 346)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
C14-16-18 Alkylphenol	CAS-No.: 1190625-94-5 EC-No.: 931-468-2 REACH-no: 01-2119498288- 19	1 – 1.49	Skin Sens. 1, H317 STOT RE 2, H373

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Not expected to require first aid measures. Wash skin with mild soap and water. In case of eye contact, immediately rinse with clean water for 10-15 minutes. Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention. 	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after inhalation	 Not expected to present a significant inhalation hazard under anticipated conditions of normal use. 	
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.	
Symptoms/effects after eye contact	 Not expected to present a significant eye contact hazard under anticipated conditions of normal use. 	
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.	
4.3. Indication of any immediate medical attention and special treatment needed		

No additional information available

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water fog. Foam. Powder. Dry chemical product.Do not use a heavy water stream.
5.2. Special hazards arising from the s	ubstance or mixture
No additional information available	
5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions Protection during firefighting	 Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Protective equipment	: Wear suitable protective clothing and gloves.	
6.1.2. For emergency responders		
Protective equipment	: Wear suitable protective clothing and gloves.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.		

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up Other information	 Impound and recover large spill by mixing it with inert granular solids. Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr. Spill area may be slippery. Use suitable disposal containers. 	

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
Handling temperature	: < 40 °C
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, including any incompatibilities	
Storage temperature Storage area	 : ≤ 40 °C : Store in dry, cool, well-ventilated area.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Additional information

: 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour: Yellow-brown.Appearance: Oily liquid.Odour: Characteristic.Odour threshold: Not availableMelting point: Not availableFreezing point: Not availableBoiling point: Not availableFlammability: Not availableExplosive limits: Not availableUpper explosion limit: Not availableFlash point: Not availableFlash point: Not availablePattoring three production temperature: Not availablePH: Not availableViscosity, kinematic: Not availableViscosity, kinematic: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure at 50°C: Not availableDensity: Slog Mr³ @15°CRelative density: Not available	Physical state	: Liquid
Odour: Characteristic.Odour threshold: Not availableMelting point: Not availableFreezing point: Not availableBoiling point: Not availableFlammability: Not availableExplosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: Not availableFlash point: > 220 °C @ ASTM D92Auto-ignition temperature: Not availableDecomposition temperature: Not availablePH: Not availableViscosity, kinematic: 73 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 850 kg/m³ @ 15°C	Colour	: Yellow-brown.
Odour threshold: Not availableMelting point: Not availableFreezing point: Not availableBoiling point: Not availableFlammability: Not availableExplosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: Not availableFlash point: Not availableFlash point: Not availablePecomposition temperature: Not availableDecomposition temperature: Not availablePH: Not availableViscosity, kinematic: 73 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 850 kg/m³ @ 15°C	Appearance	: Oily liquid.
Melting point: Not availableFreezing point: Not availableBoiling point: Not availableBoiling point: Not availableFlammability: Not availableExplosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availableFlash point: Not availableFlash point: > 220 °C @ ASTM D92Auto-ignition temperature: Not availableDecomposition temperature: Not availablePH: Not availableViscosity, kinematic: 73 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 850 kg/m³ @15°C	Odour	: Characteristic.
Freezing point: Not availableBoiling point: Not availableBoiling point: Not availableFlammability: Not availableExplosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availableFlash point: > 220 °C @ ASTM D92Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 73 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 850 kg/m³ @ 15°C	Odour threshold	: Not available
Boiling point:Not availableFlammability:Not availableExplosive limits:Not availableLower explosion limit:Not availableUpper explosion limit:Not availableFlash point:> 220 °C @ ASTM D92Auto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not availableViscosity, kinematic:73 mm²/s @ 40°CSolubility:Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:850 kg/m³ @15°C	Melting point	: Not available
Flammability: Not availableExplosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availableFlash point: > 220 °C @ ASTM D92Auto-ignition temperature: Not availableDecomposition temperature: Not availablePH: Not availableViscosity, kinematic: 73 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 850 kg/m³ @15°C	Freezing point	: Not available
Explosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availableFlash point: > 220 °C @ ASTM D92Auto-ignition temperature: Not availableDecomposition temperature: Not availableDecomposition temperature: Not availableDetermperature: Not availableDecomposition temperature: Not availableViscosity, kinematic: 73 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 850 kg/m³ @15°C	Boiling point	: Not available
Lower explosion limit:Not availableUpper explosion limit:Not availableUpper explosion limit:Not availableFlash point:> 220 °C @ ASTM D92Auto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not availableViscosity, kinematic:73 mm²/s @ 40°CSolubility:Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:850 kg/m³ @15°C	Flammability	: Not available
Upper explosion limit:Not availableFlash point:> 220 °C @ ASTM D92Auto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not availableViscosity, kinematic:73 mm²/s @ 40°CSolubility:Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:850 kg/m³ @15°C	Explosive limits	: Not available
Flash point:> 220 °C @ ASTM D92Auto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not availableViscosity, kinematic:73 mm²/s @ 40°CSolubility:Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:850 kg/m³ @15°C	Lower explosion limit	: Not available
Auto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not availableViscosity, kinematic:73 mm²/s @ 40°CSolubility:Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:850 kg/m³ @15°C	Upper explosion limit	: Not available
Decomposition temperature:Not availablepH:Not availableViscosity, kinematic:73 mm²/s @ 40°CSolubility:Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:850 kg/m³ @15°C	Flash point	: > 220 °C @ ASTM D92
pH: Not availableViscosity, kinematic: 73 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 850 kg/m³ @15°C	Auto-ignition temperature	: Not available
Viscosity, kinematic:73 mm²/s @ 40°CSolubility:Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:850 kg/m³ @15°C	Decomposition temperature	: Not available
Solubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 850 kg/m³ @15°C	рН	: Not available
Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 850 kg/m³ @15°C	Viscosity, kinematic	: 73 mm²/s @ 40°C
Vapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:850 kg/m³ @15°C	Solubility	: Slightly soluble, the product remains on the water surface.
Vapour pressure at 50°C : Not available Density : 850 kg/m³ @15°C	Partition coefficient n-octanol/water (Log Kow)	: Not available
Density : 850 kg/m ³ @15°C	Vapour pressure	: Not available
	Vapour pressure at 50°C	: Not available
Relative density : Not available	Density	: 850 kg/m³ @15°C
	Relative density	: Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative vapour density at 20°C Particle characteristics	: Not available : Not applicable	
9.2. Other information		
9.2.1. Information with regard to physical hazard classes No additional information available		

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Strong oxidizers. acids. Bases.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as	defined in Regulation (EC) No 1272/2008
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation	 Not classified Not classified. (The ingredient "C14-16-18 Alkyl Phenol" is an impurity of a substance present in the product. Based on tests performed on this substance, the skin sensitizer classification of the impurity "C14-16-18 Alkyl Phenol" is overruled.)
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
C14-16-18 Alkylphenol (1190625-94-5)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
WOLF OFFICIALTECH 5W40 C3	
Viscosity, kinematic	73 mm²/s @ 40°C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
(acute)	Not classified
12.2. Persistence and degradability	
WOLF OFFICIALTECH 5W40 C3	
Persistence and degradability	Not soluble in water, so only minimally biodegradable.
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Additional information

44.4 UN number or ID nu

: Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number of ID number		
UN-No. (ADR)	: Not applicable	
UN-No. (IMDG)	: Not applicable	
UN-No. (IATA)	Not applicable	
UN-No. (ADN)	: Not applicable	
UN-No. (RID)	Not applicable	
14.2. UN proper shipping name		
Proper Shipping Name (ADR)	: Not applicable	
Proper Shipping Name (IMDG)	: Not applicable	
Proper Shipping Name (IATA)	: Not applicable	
Proper Shipping Name (ADN)	: Not applicable	
Proper Shipping Name (RID)	: Not applicable	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
ADN Transport hazard class(es) (ADN)	: Not applicable
RID Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	: No : No : No supplementary information available
14.6. Special precautions for user	
Overland transport Not applicable	
Transport by sea Not applicable	
Air transport Not applicable	
Inland waterway transport Not applicable	
Rail transport Not applicable	
14.7. Maritime transport in bulk according	g to IMO instruments
Not applicable	
SECTION 15: Regulatory information	

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) Storage class (LGK, TRGS 510) Hazardous Incident Ordinance (12. BImSchV)	 WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1). LGK 10-13 - Other combustible and non-combustible substances. Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Danish National Regulations	: Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
3	Composition/information on ingredients	Modified	
7.2	Storage temperature	Modified	
11.1	Reason for no classification	Added	
15.1	Storage class (LGK, TRGS 510)	Added	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
15.1	Water hazard class (WGK)	Modified	

Abbreviations a	Abbreviations and acronyms:	
	ACGIH: American Conference of Governmental Industrial Hygienists	
	TWA: Time Weighted Average	
	TLV: Threshold Limit Value	
	ASTM: American Society for Testing and Materials	
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route	
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail	
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin	
	IMDG: International Maritime Dangerous Goods	
	ICAO: International Civil Aviation Organization	
	IATA: International Air Transport Association	
	STEL: Short Term Exposure Limit	
	LD50: median Lethal Dose for 50% of subjects	
	ATE: acute toxicity estimate	
	LC50: median Lethal Concentration for 50% of subjects	
	EC50: concentration producing 50% effect	

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
EUH208	Contains C14-16-18 Alkylphenol. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs through prolonged or repeated exposure.
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.