



# WOLF MINERAL FLUID LHM

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 14/08/2003 Revision date: 28/02/2024 Supersedes version of: 20/09/2023 Version: 6.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : WOLF MINERAL FLUID LHM  
UFI : AMUJ-UMGD-EF0F-VXTA  
Product code : 5077  
Type of product : WOLF  
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Industrial use, Professional use, Consumer use  
Industrial/Professional use spec : Non-dispersive use  
Used in closed systems  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

WOLF OIL CORPORATION N.V.  
Georges Gilliotstraat, 52  
2620 Hemiksem, Antwerpen  
België  
T 0032 (0)3 870 00 00, F 0032 (0)3 870 00 99  
[msds@wolfoil.com](mailto:msds@wolfoil.com), <https://www.wolflubes.com/>

#### 1.4. Emergency telephone number

Emergency number : 0032 (0)3 870 00 00

| Country/Area | Organisation/Company  | Address                                 | Emergency number   | Comment |
|--------------|---|---|--|---------|
| Ireland      | National Poisons Information Centre<br>Beaumont Hospital      | PO Box 1297<br>Beaumont Road<br>9       | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |         |
| Israel       | Israel Poison Information Center<br>Rambam Health Care Campus | 6 Ha'Aliya Street<br>31096              | +972 4 854 1900  |         |
| Malta        | Medicines & Poisons Info Office                               | Mater Dei Hospital<br>Msida<br>MSD 2090 | +356 2545 6508   |         |
| Sweden       | Giftinformationscentralen                                     | Box 60 500<br>171 76 Stockholm          | 112 – begär<br>Giftinformation<br>+46 10 456 6700 (Från<br>utlandet)                                   |         |

# WOLF MINERAL FLUID LHM

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aspiration hazard, Category 1

H304

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

:



GHS08

Signal word (CLP)

: Danger

Contains

: Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics; Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hazard statements (CLP)

: H304 - May be fatal if swallowed and enters airways.

Precautionary statements (CLP)

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 - Do NOT induce vomiting.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments

: The mineral oils in the product contain < 3% DMSO extract (IP 346)

| Name                  | Product identifier   | %          | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------------|--|------------|---|
| Baseoil - unspecified | CAS-No.: 72623-86-0<br>EC-No.: 276-737-9<br>EC Index-No.: 649-482-00-X<br>REACH-no: 01-2119474878-16 | 40 – 59.99 | Not classified  |
| Exxsol D120           | EC-No.: 927-632-8<br>REACH-no: 01-2119457736-27  | 25 – 39.9  | Asp. Tox. 1, H304   |

# WOLF MINERAL FLUID LHM

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name   | Product identifier   | %        | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|----------|---|
| Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics | CAS-No.: 1174522-19-0<br>EC-No.: 919-029-3<br>REACH-no: 01-2119457735-29 | 3 – 4.99 | Asp. Tox. 1, H304   |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures after inhalation   | : Call a POISON CENTER/doctor if you feel unwell. Allow affected person to breathe fresh air. |
| First-aid measures after skin contact | : Wash skin with mild soap and water.   |
| First-aid measures after eye contact  | : In case of eye contact, immediately rinse with clean water for 10-15 minutes.               |
| First-aid measures after ingestion    | : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.                |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects after inhalation   | : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.  |
| Symptoms/effects after skin contact | : Not expected to present a significant skin hazard under anticipated conditions of normal use.        |
| Symptoms/effects after eye contact  | : Not expected to present a significant eye contact hazard under anticipated conditions of normal use. |
| Symptoms/effects after ingestion    | : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.   |

### 4.3. Indication of any immediate medical attention and special treatment needed

Ingestion of this product may lead to chemical pneumonia and even death.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Water fog. Foam. Powder. Dry chemical product. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.               |

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

|                                |   |
|--------------------------------|---|
| Precautionary measures fire    | : Exercise caution when fighting any chemical fire.   |
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers.  |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

|                      |   |
|----------------------|---|
| Protective equipment | : Wear suitable protective clothing and gloves. |
|----------------------|---|

#### 6.1.2. For emergency responders

|                      |   |
|----------------------|---|
| Protective equipment | : Wear suitable protective clothing and gloves. |
|----------------------|---|

# WOLF MINERAL FLUID LHM

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

- |                         |   |
|-------------------------|---|
| For containment         | : Impound and recover large spill by mixing it with inert granular solids.            |
| Methods for cleaning up | : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr. |
| Other information       | : Spill area may be slippery. Use suitable disposal containers.                       |

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- |                               |   |
|-------------------------------|---|
| Precautions for safe handling | : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.                 |
| Handling temperature          | : < 40 °C   |
| Hygiene measures              | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. |

### 7.2. Conditions for safe storage, including any incompatibilities

- |                     |   |
|---------------------|---|
| Storage temperature | : ≤ 40 °C                                   |
| Storage area        | : Store in dry, cool, well-ventilated area. |

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

- |                        |  |
|------------------------|--|
| Additional information | : 5 mg/m <sup>3</sup> for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition). |
|------------------------|--|

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

Safety glasses. Gloves.

# WOLF MINERAL FLUID LHM

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

No additional information available

#### 8.2.2.2. Skin protection

##### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

##### Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |   |
|---|---|
| Physical state                                  | : Liquid  |
| Colour  | : Green.  |
| Appearance                                      | : Oily liquid.  |
| Odour   | : Characteristic.   |
| Odour threshold                                 | : Not available   |
| Melting point                                   | : < -52 °C  |
| Freezing point                                  | : Not available   |
| Boiling point                                   | : > 320 °C  |
| Flammability                                    | : Not available   |
| Lower explosion limit                           | : Not available   |
| Upper explosion limit                           | : Not available   |
| Flash point                                     | : > 124 °C (ASTM D92)   |
| Auto-ignition temperature                       | : Not available   |
| Decomposition temperature                       | : Not available   |
| pH  | : Not available   |
| Viscosity, kinematic                            | : 19.1 mm²/s @40°C  |
| Solubility                                      | : Slightly soluble, the product remains on the water surface. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available   |
| Vapour pressure                                 | : 0.1 kPa @20°C   |
| Vapour pressure at 50°C                         | : Not available   |
| Density   | : 853 kg/m³ @20°C   |
| Relative density                                | : Not available   |
| Relative vapour density at 20°C                 | : Not available   |
| Particle characteristics                        | : Not applicable  |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

# WOLF MINERAL FLUID LHM

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal conditions.

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics (1174522-19-0)

|                       |                          |
|-----------------------|--------------------------|
| LD50 oral             | > 5000 mg/kg bodyweight  |
| LD50 dermal           | > 2000 mg/kg bodyweight  |
| LC50 Inhalation - Rat | > 5000 mg/m <sup>3</sup> |

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  
Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)  
Respiratory or skin sensitisation : Not classified (May produce an allergic reaction)  
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

#### Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics (1174522-19-0)

|                                     |                           |
|-------------------------------------|---------------------------|
| NOAEL (oral, rat, 90 days)          | 5000 mg/kg bodyweight/day |
| NOAEL (dermal, rat/rabbit, 90 days) | 495 mg/kg bodyweight/day  |

Aspiration hazard : May be fatal if swallowed and enters airways.

#### WOLF MINERAL FLUID LHM

|                      |                               |
|----------------------|-------------------------------|
| Viscosity, kinematic | 19.1 mm <sup>2</sup> /s @40°C |
|----------------------|-------------------------------|

# WOLF MINERAL FLUID LHM

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

### 12.2. Persistence and degradability

#### WOLF MINERAL FLUID LHM

|                               |  |
|-------------------------------|--|
| Persistence and degradability | Not soluble in water, so only minimally biodegradable. |
|-------------------------------|--|

#### Baseoil - unspecified (72623-86-0)

|                               |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

#### Exxsol D120

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Not rapidly degradable |
|-------------------------------|------------------------|

#### Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics (1174522-19-0)

|                               |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

|                |                    |
|----------------|--------------------|
| Biodegradation | 74 % OECD 306; 28d |
|----------------|--------------------|

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

#### Baseoil - unspecified (72623-86-0)

|                |                        |
|----------------|------------------------|
| Ecology - soil | Adsorbs into the soil. |
|----------------|------------------------|

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

# WOLF MINERAL FLUID LHM

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.1. UN number or ID number

Not regulated for transport

### 14.2. UN proper shipping name

|                             |                  |
|-----------------------------|------------------|
| Proper Shipping Name (ADR)  | : Not applicable |
| Proper Shipping Name (IMDG) | : Not applicable |
| Proper Shipping Name (IATA) | : Not applicable |
| Proper Shipping Name (ADN)  | : Not applicable |
| Proper Shipping Name (RID)  | : Not applicable |

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

#### IMDG

Transport hazard class(es) (IMDG) : Not applicable

#### IATA

Transport hazard class(es) (IATA) : Not applicable

#### ADN

Transport hazard class(es) (ADN) : Not applicable

#### RID

Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

|                      |                  |
|----------------------|------------------|
| Packing group (ADR)  | : Not applicable |
| Packing group (IMDG) | : Not applicable |
| Packing group (IATA) | : Not applicable |
| Packing group (ADN)  | : Not applicable |
| Packing group (RID)  | : Not applicable |

### 14.5. Environmental hazards

Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

No data available

#### Transport by sea

No data available

#### Air transport

No data available

#### Inland waterway transport

No data available

#### Rail transport

No data available

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable



# WOLF MINERAL FLUID LHM

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

###### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

###### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

###### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

###### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

###### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

###### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

###### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

##### 15.1.2. National regulations

###### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).  
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

###### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed  
SZW-lijst van mutagene stoffen : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

###### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

#### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

#### Indication of changes

| Section | Changed item  | Change   | Comments |
|---------|---------------|----------|----------|
|         | Revision date | Modified |          |
|         | Supersedes    | Modified |          |

# WOLF MINERAL FLUID LHM

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Indication of changes |  |          |          |
|-----------------------|--|----------|----------|
| Section               | Changed item                           | Change   | Comments |
| 1.1                   | UFI on SDS 1.1                         | Added    |          |
| 3                     | Composition/information on ingredients | Modified |          |
| 9.1                   | Melting point                          | Modified |          |
| 9.1                   | Boiling point                          | Modified |          |
| 9.1                   | Density                                | Modified |          |
| 9.1                   | Viscosity, kinematic                   | Modified |          |
| 9.1                   | Flash point                            | Modified |          |

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| Asp. Tox. 1                         | Aspiration hazard, Category 1                 |
| H304                                | May be fatal if swallowed and enters airways. |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.