

#### Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 20/02/2019 Revision date: 10/01/2024 Supersedes version of: 17/03/2022 Version: 1.3

#### **1.1. Product identifier** Product form : Mixture CHAMPION PRORACING GP BRAKE CLEANER SPRAY Product name : UFI 0943-NYW7-1454-0W0V · Product code 55509 · : CHAMPION Type of product Product group · Blend 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Intended for general public Main use category : Industrial use, Professional use, Consumer use Industrial/Professional use spec Non industrial spraying Industrial spraying : Lubricants and additives Function or use category 1.2.2. Uses advised against No additional information available

**1.3. Details of the supplier of the safety data sheet** 

CHAMPION CHEMICALS N.V. Georges Gilliotstraat, 52 2620 Hemiksem, Antwerpen België T 0032 (0)3 870 00 00, F 0032 (0)3 870 00 99 msds@wolfoil.com, https://www.championlubes.com

#### 1.4. Emergency telephone number

Emergency number

: 0032 (0)3 870 00 00

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Sweden	Giftinformationscentralen	Box 60 500 171 76 Stockholm	112 – begär Giftinformation +46 10 456 6700 (Från utlandet)	

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008	[CLP]
Aerosol, Category 1	H222;H229
Skin corrosion/irritation, Category 2	H315
Specific target organ toxicity – Single exposure, Category 3,	H336
Narcosis	
Aspiration hazard, Category 1	H304

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2 Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label e	

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	HS02 GHS07 GHS09
Signal word (CLP)	: Danger
Contains	: Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H315 - Causes skin irritation.
	H336 - May cause drowsiness or dizziness.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P251 - Do not pierce or burn, even after use.
	P271 - Use only outdoors or in a well-ventilated area.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 122 °F, 50 °C.
	P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
	P211 - Do not spray on an open flame or other ignition source.
2.2. Other bererde	

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	EC-No.: 921-024-6 REACH-no: 01-2119475514- 35	75 – 95	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Carbon dioxyde	CAS-No.: 124-38-9 EC-No.: 204-696-9	5 – 10	Press. Gas (Liq.), H280

Full text of H- and EUH-statements: see section 16

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Allow affected person to breathe fresh air. Seek medical advice.</li> <li>Wash skin with mild soap and water.</li> <li>In case of eye contact, immediately rinse with clean water for 10-15 minutes.</li> <li>Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.</li> </ul>
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Do not use a heavy water stream. 5.2. Special hazards arising from the substance or mixture No additional information available 5.3. Advice for firefighters Precautionary measures fire

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures				
6.1. Personal precautions, protec	tive equipment and emergency procedures			
6.1.1. For non-emergency personnel Protective equipment	: Wear suitable protective clothing and gloves.			
6.1.2. For emergency responders Protective equipment	: Wear suitable protective clothing and gloves.			
6.2. Environmental precautions				
Prevent entry to sewers and public wate	s. Notify authorities if product enters sewers or public waters.			
C.2. Matheda and material for ear	teinment and elegning up			

For containment	. Impound and recover large spill by mixing it with inort groupler calida
For containment	: Impound and recover large spill by mixing it with inert granular solids.
Methods for cleaning up	: Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
Other information	: Spill area may be slippery. Use suitable disposal containers.

#### 6.4. Reference to other sections

No additional information available

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and stor	rage
7.1. Precautions for safe handling	]
Precautions for safe handling	<ul> <li>Avoid all unnecessary exposure. Take precautionary measures against static discharges. Both local exhaust and general room ventilation are usually required. Prevent explosions. Container under pressure. Do not drill or burn even after use. Keep away from sources of ignition - No smoking.</li> </ul>
Handling temperature Hygiene measures	<ul> <li>: &lt; 40 °C</li> <li>: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> </ul>
7.2. Conditions for safe storage, i	ncluding any incompatibilities
Storage temperature Storage area Special rules on packaging	<ul> <li>≤ 40 °C</li> <li>Store in dry, cool, well-ventilated area.</li> <li>Packaging destined for the general public must be fitted with a tactile danger indication.</li> </ul>
7.3. Specific end use(s)	

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

CHAMPION PRORACING GP BRAKE CLEANER SPRAY		
EU - Indicative Occupational Exposure Limit (IOEL)		
Remark MAC (mg/m³) : Butaan : 600		
812 Recommended monitoring procedures		

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

Personal protective equipment: Safety glasses. Gloves.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye protection				
Туре	Field of application	Characteristics	Standard	
Safety glasses		With side shields	EN 166	

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves, Disposable gloves	Nitrile rubber (NBR)	5 (> 240 minutes)	>0,5		EN ISO 374

Other skin protection Materials for protective clothing		
Condition	Material	Standard
		EN 13034

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Gas filters	Type AX - Low-boiling (<65 °C) organic compounds, Type P2		

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Odour threshold: Not availableMelting point: < -25 °CFreezing point: Not availableBoiling point: Not availableFlammability: Not availableLower explosion limit: 0.6 vol %Upper explosion limit: 7 vol %Elable point: 12 °C	ble
Flash point: -12 °C	

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
ЪН	: Not available
√iscosity, kinematic	: Not available
Solubility	: Practically not miscible.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 5500 hPa @ 20°C
√apour pressure at 50°C	: Not available
Density	: 715 kg/m³ @20°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2.1. Information with regard to physical hazard classes		
Explosion limits	:	0.6 – 7 vol %
9.2.2. Other safety characteristics		
VOC content	:	94 %

SECTION 10: Stability and rea	tivity		
10.1. Reactivity			
None under normal conditions.			
10.2. Chemical stability			
Stable under normal conditions.			
10.3. Possibility of hazardous reactions			
None under normal conditions.			
10.4. Conditions to avoid			
No data available.			
10.5. Incompatible materials			
No data available.			
10.6. Hazardous decomposition products			
None under normal conditions.			
SECTION 11: Toxicological in	brmation		
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral) Acute toxicity (dermal)	: Not classified : Not classified		
Acute toxicity (inhalation)	: Not classified		
CHAMPION PROBACING GP BRAKE CLEANER SPRAY			

CHAMPION PRORACING GP BRAKE CLEANER SPRAY		
LD50 oral rat > 5000 mg/kg 64742-48-9 Naphta (Petroleum)		
LD50 dermal rabbit	> 3000 mg/kg 64742-48-9 Naphta (Petroleum)	
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		
LD50 oral rat > 5840 mg/kg		
LD50 dermal rabbit > 2920 mg/kg		

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		
LC50 Inhalation - Rat > 25 mg/l/4h		
Skin corrosion/irritation     : Causes skin irritation.		
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: May cause drowsiness or dizziness.	
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
11.2. Information on other hazards		

No additional information available

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general :	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.			
Hazardous to the aquatic environment, short-term : (acute)	Not classified			
	Toxic to aquatic life with long lasting effects.			
Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	cyclics, <5% n-hexane			
LC50 - Fish [1]	11.4 mg/l			
EC50 - Crustacea [1]	3 mg/l Daphnia magna			
EC50 72h - Algae [1]	30 – 100 mg/l Pseudokirchneriella subcapitata			
LOEC (chronic)	0.32 mg/l Daphnia magna @21d			
NOEC chronic crustacea	0.17 mg/l Daphnia magna (@21d)			
NOEC chronic algae	3 mg/l Pseudokirchneriella subcapitata			
12.2. Persistence and degradability				
CHAMPION PRORACING GP BRAKE CLEAN	ER SPRAY			
Persistence and degradability	Rapidly degradable			
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane				
Persistence and degradability	Not rapidly degradable			
Carbon dioxyde (124-38-9)				
Persistence and degradability	Rapidly degradable			
12.3. Bioaccumulative potential				
No additional information available				
12.4. Mobility in soil				
No additional information available	No additional information available			

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment
No additional information available
12.6. Endocrine disrupting properties
No additional information available
12.7. Other adverse effects
No additional information available

# SECTION 13: Disposal considerations

13.1. Waste treatment methods

Additional information

: Dispose in a safe manner in accordance with local/national regulations.

#### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

UN-No. (ADR)	: UN 1950
UN-No. (IMDG)	: UN 1950
UN-No. (IATA)	: UN 1950
UN-No. (ADN)	: UN 1950
UN-No. (RID)	: UN 1950
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: AEROSOLS
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: Aerosols, flammable
Proper Shipping Name (ADN)	: AEROSOLS
Proper Shipping Name (RID)	: AEROSOLS
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS
	: UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

#### 14.3. Transport hazard class(es)

ADR Transport hazard class(es) (ADR) : 2.1 Danger labels (ADR) : 2.1 **IMDG** Transport hazard class(es) (IMDG) : 2.1 Danger labels (IMDG) : 2.1

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IATA Transport hazard class(es) (IATA) Danger labels (IATA)	: 2.1 : 2.1 :
ADN Transport hazard class(es) (ADN) Danger labels (ADN)	
RID Transport hazard class(es) (RID) Danger labels (RID)	
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	: Yes : Yes : No supplementary information available
14.6. Special precautions for user	
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) Special provisions for carriage - Operation (ADR) Tunnel restriction code (ADR) <b>Transport by sea</b> Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG)	<ul> <li>5F</li> <li>190, 327, 344, 625</li> <li>11</li> <li>E0</li> <li>P207, LP02</li> <li>PP87, RR6, L2</li> <li>MP9</li> <li>2</li> <li>V14</li> <li>CV9, CV12</li> <li>S2</li> <li>D</li> <li>63, 190, 277, 327, 344, 959</li> <li>SP277</li> <li>E0</li> </ul>
Packing instructions (IMDG) Special packing provisions (IMDG)	: P207, LP02 : PP87, L2

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Stowage and handling (IMDG) Segregation (IMDG)	: F-D : S-U : None : SW1, SW22 : SG69
MFAG-No	: 126
Air transport PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	: E0 : Y203 : 30kgG : 203 : 75kg : 203 : 150kg : A145, A167, A802 : 10L
Inland waterway transport Classification code (ADN) Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Equipment required (ADN) Ventilation (ADN) Number of blue cones/lights (ADN)	: 5F : 190, 327, 344, 625 : 1 L : E0 : PP, EX, A : VE01, VE04 : 1
Rail transport Classification code (RID) Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Special packing provisions (RID) Mixed packing provisions (RID) Transport category (RID) Special provisions for carriage – Packages (RID) Special provisions for carriage - Loading, unloading and handling (RID) Colis express (express parcels) (RID)	<ul> <li>5F</li> <li>190, 327, 344, 625</li> <li>1L</li> <li>E0</li> <li>P207, LP02</li> <li>PP87, RR6, L2</li> <li>MP9</li> <li>2</li> <li>W14</li> <li>CW9, CW12</li> <li>CE2</li> </ul>
Hazard identification number (RID)	: 23

#### 14.7. Maritime transport in bulk according to IMO instruments

#### Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Other information, restriction and prohibition: Regulation (EC) No. 648/2004 of 31 March 2004 on detergents. Contains : ≥30 %. aliphatic<br/>hydrocarbons.

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

#### VOC Directive (2004/42)

VOC content

: 94 %

#### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### France

Occupational diseases	
Code	Description
RG 66	Occupational rhinitis and asthma

#### Germany

Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
MAL code	: 5-3 (Executive Order No. 301 from 1993)
Class for fire hazard	: Add boilingpoint
Store unit	: Add boilingpoint
Classification remarks	: Add boilingpoint; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

# SECTION 16: Other information Indication of changes Section Changed item Change Comments Revision date Modified Modified

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
	SDS EU format	Modified	
	Supersedes	Modified	
1.1	UFI on SDS 1.1	Added	

Abbreviations	and acronyms:
	ACGIH: American Conference of Governmental Industrial Hygienists
	TWA: Time Weighted Average
	TLV: Threshold Limit Value
	ASTM: American Society for Testing and Materials
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	IMDG: International Maritime Dangerous Goods
	ICAO: International Civil Aviation Organization
	IATA: International Air Transport Association
	STEL: Short Term Exposure Limit
	LD50: median Lethal Dose for 50% of subjects
	ATE: acute toxicity estimate
	LC50: median Lethal Concentration for 50% of subjects
	EC50: concentration producing 50% effect

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.