



WOLF WINDSCREEN -22°C READY TO USE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 23/01/2015 Revision date: 16/02/2023 Supersedes version of: 27/10/2020 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : WOLF WINDSCREEN -22°C READY TO USE
UFI : M8KP-0PGR-AN4P-NHFG
Product code : 50210
Type of product : WOLF
Product group : Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use
Industrial/Professional use spec : Wide dispersive use
Function or use category : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

WOLF OIL CORPORATION N.V.
Georges Gilliotstraat, 52, 52
2620 Hemiksem – Antwerpen
België
T 0032 (0)3 870 00 00 - F 0032 (0)3 870 00 99
msds@wolfoil.com - <https://www.wolflubes.com/>

1.4. Emergency telephone number

Emergency number : 0032 (0)3 870 00 00

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096 Haifa	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
Sweden	Giftinformationscentralen	Box 60 500 171 76 Stockholm	112 – begär Giftinformation +46 10 456 6700 (Från utlandet)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226
Full text of H- and EUH-statements: see section 16

WOLF WINDSCREEN -22°C READY TO USE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP)

: Warning

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P370+P378 - In case of fire: Use ABC-powder, foam to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

P102 - Keep out of reach of children.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-43	25 – 50	Flam. Liq. 2, H225
ethanediol	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816-28	1 – 2.5	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight)

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: Allow affected person to breathe fresh air. If you feel unwell, seek medical advice.

First-aid measures after skin contact

: Wash with plenty of water/....

WOLF WINDSCREEN -22°C READY TO USE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact	: Contact lenses should be removed. In case of eye contact, immediately rinse with clean water for 10-15 minutes.
First-aid measures after ingestion	: Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Redness. May cause slight irritation.
Symptoms/effects after ingestion	: Ingestion may cause nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: ABC-powder. Foam.
Unsuitable extinguishing media	: Water.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Impound and recover large spill by mixing it with inert granular solids.
Methods for cleaning up	: Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
Other information	: Spill area may be slippery. Use suitable disposal containers.

6.4. Reference to other sections

No additional information available

WOLF WINDSCREEN -22°C READY TO USE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required. Remove ignition sources. No open flames. No smoking. Do not breathe vapours. Avoid: acids. Moisture. combustible materials. Take precautionary measures against static discharges.
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

- Storage area : Store in dry, cool, well-ventilated area.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Ethanol (64-17-5)

EU - Indicative Occupational Exposure Limit (IOEL)

IOEL TWA	260 mg/m ³ @8h
IOEL STEL	1900 mg/m ³ @15 min

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

No additional information available

WOLF WINDSCREEN -22°C READY TO USE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Blue.
Appearance	: Liquid.
Odour	: lemon odour.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 92 °C
Flammability	: Not available
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 27 °C
Auto-ignition temperature	: 400 °C
Decomposition temperature	: Not available
pH	: 6 – 9
Viscosity, kinematic	: Not available
Solubility	: Material highly soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 30.93 hPa @ 20°C
Vapour pressure at 50°C	: 156.06 hPa
Density	: 940 kg/m ³ @20°C
Relative density	: 0.94
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 329 g/l (35%)

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

WOLF WINDSCREEN -22°C READY TO USE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

Open flame. Heat.

10.5. Incompatible materials

Sources of ignition. Strong oxidizers.

10.6. Hazardous decomposition products

Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

WOLF WINDSCREEN -22°C READY TO USE

ATE CLP (oral)	25000 mg/kg
ATE CLP (dermal)	2000 mg/kg
ATE CLP (vapours)	20 mg/l/4h

ethanediol (107-21-1)

LD50 oral rat	500 mg/kg
LD50 dermal rat	10600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	≥ 50 mg/l/4h

Ethanol (64-17-5)

LD50 oral rat	≥ 5000 mg/kg
LD50 dermal rabbit	≥ 5000 mg/kg
LC50 Inhalation - Rat	≥ 50 mg/l/4h

Skin corrosion/irritation : Not classified
pH: 6 – 9
Serious eye damage/irritation : Not classified
pH: 6 – 9
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

ethanediol (107-21-1)

NOAEL (chronic, oral, animal/male, 2 years)	1000 mg/kg bodyweight
NOAEL (chronic, oral, animal/female, 2 years)	1500 mg/kg bodyweight

Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

WOLF WINDSCREEN -22°C READY TO USE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanediol (107-21-1)	
NOAEL (oral, rat, 90 days)	220200 mg/kg bodyweight/day OECD 407
NOAEL (dermal, rat/rabbit, 90 days)	2220 mg/kg bodyweight/day OECD 410

Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

ethanediol (107-21-1)	
LC50 - Fish [1]	41000 mg/l @ 96h - Oncorhynchus mykiss
LC50 - Fish [2]	14 – 18 ml/l @ 96h - Oncorhynchus mykiss (static)
EC50 - Crustacea [1]	46300 mg/l @ 48h - Daphnia magna
NOEC chronic fish	15380 mg/l @ 7d - Pimephales promelas

Ethanol (64-17-5)	
LC50 - Fish [1]	11000 mg/l @ Alburnus alburnus
LC50 - Fish [2]	13000 mg/l @ Oncorhynchus mykiss
EC50 - Crustacea [1]	9268 mg/l @ Daphnia magna
EC50 - Crustacea [2]	12340 mg/l @ Daphnia magna
EC50 - Other aquatic organisms [1]	1450 mg/l @ 192h (Mycrocystis aeruginosa)
EC50 72h - Algae [1]	275 mg/l @ Chlorella vulgaris

12.2. Persistence and degradability

WOLF WINDSCREEN -22°C READY TO USE	
Persistence and degradability	Not soluble in water, so only minimally biodegradable.

ethanediol (107-21-1)	
Biochemical oxygen demand (BOD)	0.47 g O ₂ /g substance
Chemical oxygen demand (COD)	1.29 g O ₂ /g substance
Biodegradation	90 %

Ethanol (64-17-5)	
Biodegradation	89 %

12.3. Bioaccumulative potential

ethanediol (107-21-1)	
Bioconcentration factor (BCF REACH)	10
Partition coefficient n-octanol/water (Log Pow)	-1.36

WOLF WINDSCREEN -22°C READY TO USE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethanol (64-17-5)

Bioconcentration factor (BCF REACH)	3
Partition coefficient n-octanol/water (Log Pow)	-0.35

12.4. Mobility in soil

ethanediol (107-21-1)

Surface tension	49890 N/m @25°C
-----------------	-----------------

Ethanol (64-17-5)

Surface tension	23390 N/m @25°C
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR)	: UN 1170
UN-No. (IMDG)	: UN 1170
UN-No. (IATA)	: UN 1170
UN-No. (ADN)	: UN 1170
UN-No. (RID)	: UN 1170

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IMDG)	: ETHANOL (ETHYL ALCOHOL)
Proper Shipping Name (IATA)	: Ethyl alcohol solution
Proper Shipping Name (ADN)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (RID)	: Not applicable
Transport document description (ADR)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III, (D/E)
Transport document description (IMDG)	: UN 1170 ETHANOL (ETHYL ALCOHOL), 3, III
Transport document description (IATA)	: UN 1170 Ethyl alcohol solution, 3, III
Transport document description (ADN)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III
Transport document description (RID)	: UN 1170 , 3

WOLF WINDSCREEN -22°C READY TO USE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3
:



IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3
:



IATA

Transport hazard class(es) (IATA) : 3
Danger labels (IATA) : 3
:



ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3
:



RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3
:



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

WOLF WINDSCREEN -22°C READY TO USE


Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 144, 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Hazard identification number (Kemler No.)	: 30
Orange plates	:



Tunnel restriction code (ADR)	: D/E
EAC code	: •2YE

Transport by sea

Special provisions (IMDG)	: 144, 223
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19% Miscible with water.

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3, A58, A180
ERG code (IATA)	: 3L

Inland waterway transport

Classification code (ADN)	: F1
Special provisions (ADN)	: 144, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0

Rail transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

WOLF WINDSCREEN -22°C READY TO USE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Other information, restriction and prohibition regulations : Regulation (EC) No. 648/2004 of 31 March 2004 on detergents. Contains : <5 %. anionic surfactants. perfumes:

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content : 329 g/l (35%)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).
Storage class (LGK, TRGS 510) : LGK 3 - Flammable liquids.
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Ethanol is listed
SZW-lijst van mutagene stoffen : None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : Ethanol is listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : Ethanol is listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling : Ethanol is listed

Denmark

Class for fire hazard : Class II-1

WOLF WINDSCREEN -22°C READY TO USE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Store unit : 5 liter
Classification remarks : R10 <H226>; Emergency management guidelines for the storage of flammable liquids must be followed

Switzerland

Storage class (LK) : LK 3 - Flammable liquids

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Danger labels (ADN)	Added	
	Limited quantities (ADN)	Added	
	Excepted quantities (ADN)	Added	
	Carriage permitted (ADN)	Added	
	Equipment required (ADN)	Added	
	Ventilation (ADN)	Added	
	Number of blue cones/lights (ADN)	Added	
	Properties and observations (IMDG)	Added	
	Revision date	Modified	
	Supersedes	Modified	
	Classification code (ADN)	Added	
	Proper Shipping Name (RID)	Added	
	Hazard identification number (RID)	Added	
	Colis express (express parcels) (RID)	Added	
	Special provisions for carriage – Packages (RID)	Added	
	Transport category (RID)	Added	
	Tank codes for RID tanks (RID)	Added	
	Portable tank and bulk container special provisions (RID)	Added	
	Portable tank and bulk container instructions (RID)	Added	
	Mixed packing provisions (RID)	Added	
	Packing instructions (RID)	Added	
	Excepted quantities (RID)	Added	
	Limited quantities (RID)	Added	
	Special provisions (RID)	Added	
	Packing group (RID)	Added	
	Classification code (RID)	Added	

WOLF WINDSCREEN -22°C READY TO USE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
	Special provisions for carriage - Operation (ADR)	Added	
	Special provisions for carriage - Packages (ADR)	Added	
	Tank code (ADR)	Added	
	Portable tank and bulk container special provisions (ADR)	Added	
	Portable tank and bulk container instructions (ADR)	Added	
	Mixed packing provisions (ADR)	Added	
	Packing instructions (ADR)	Added	
	Vehicle for tank carriage	Added	
	Danger labels (IMDG)	Added	
	Danger labels (IATA)	Added	
	UN-No. (RID)	Added	
	Special provisions (IATA)	Modified	
	Proper Shipping Name (IATA)	Modified	
	Tank special provisions (IMDG)	Modified	
	Tank instructions (IMDG)	Modified	
	Special provisions (IMDG)	Modified	
	Proper Shipping Name (IMDG)	Modified	
2.2	Precautionary statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
5.1	Unsuitable extinguishing media	Added	
5.1	Suitable extinguishing media	Modified	
5.3	EAC code	Added	
9.1	Solubility	Modified	
9.1	Vapour pressure at 50°C	Modified	
9.1	Relative density	Modified	
9.1	Boiling point	Modified	
9.1	Auto-ignition temperature	Modified	
9.1	Density	Modified	
9.1	Viscosity, kinematic	Added	
9.1	Viscosity, dynamic	Added	
9.1	Relative evaporation rate (butylacetate=1)	Added	
9.2	VOC content	Modified	
11.1	ATE CLP (vapours)	Added	
11.1	ATE CLP (oral)	Modified	
11.1	ATE CLP (dermal)	Modified	

WOLF WINDSCREEN -22°C READY TO USE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
14.1	UN-No. (ADN)	Added	
14.1	UN-No. (IATA)	Modified	
14.1	UN-No. (IMDG)	Modified	
14.1	UN-No. (ADR)	Modified	
14.2	Proper Shipping Name (ADN)	Added	
14.2	Proper Shipping Name (ADR)	Modified	
14.3	Danger labels (RID)	Added	
14.4	Packing group (ADN)	Added	
14.6	Special provisions (ADN)	Added	
14.6	Hazard identification number (Kemler No.)	Added	
14.6	Transport category (ADR)	Added	
14.6	Classification code (ADR)	Added	
14.6	Excepted quantities (ADR)	Added	
14.6	Special provisions (ADR)	Modified	
15.1	Water hazard class (WGK)	Added	
15.1	Storage class (LGK, TRGS 510)	Added	
15.1	VOC content	Modified	

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.