

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 18/03/2015 Revision date: 25/03/2024 Supersedes version of: 06/02/2024 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking **1.1. Product identifier** Product form : Mixture CHAMPION DIESEL PARTICULATE FILTER CLEANER Product name : UFI QQ1K-8MEG-XH6N-FTNS · Product code 70312 • : CHAMPION Type of product Product group : Blend 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Industrial use, Professional use, Consumer use Industrial/Professional use spec : Non-dispersive use Used in closed systems : Lubricants and additives Function or use category 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet

CHAMPION CHEMICALS N.V. Georges Gilliotstraat, 52 2620 Hemiksem, Antwerpen België T 0032 (0)3 870 00 00, F 0032 (0)3 870 00 99 msds@wolfoil.com, https://www.championlubes.com

1.4. Emergency telephone number

Emergency number

: 0032 (0)3 870 00 00

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090	+356 2545 6508	
Sweden	Giftinformationscentralen	Box 60 500 171 76 Stockholm	112 – begär Giftinformation +46 10 456 6700 (Från utlandet)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
Classification according to Regulation (EC)	No. 1272/2008 [CLP]
Aspiration hazard, Category 1 Hazardous to the aquatic environment – Chron Category 2 Full text of H- and EUH-statements: see sectio	
Adverse physicochemical, human health an	nd environmental effects
No additional information available	
2.2. Label elements	
Labelling according to Regulation (EC) No.	1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS08 GHS09
Signal word (CLP) Contains	 Danger Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclic, <2% aromatics; Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, <2% aromatics
Hazard statements (CLP)	 H304 - May be fatal if swallowed and enters airways. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P273 - Avoid release to the environment. P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER. P331 - Do NOT induce vomiting. P391 - Collect spillage. P405 - Store locked up. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: The mineral oils in the product contain < 3% DMSO extract (IP 346)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclic, <2% aromatics	EC-No.: 926-141-6 REACH-no: 01-2119456620- 43	70 – 85	Asp. Tox. 1, H304

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Ethylhexyl nitrate	CAS-No.: 27247-96-7 EC-No.: 248-363-6 REACH-no: 01-2119539586- 27	5 – 14.99	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, <2% aromatics	EC-No.: 918-481-9 REACH-no: 01-2119457273- 39	1 – 2.49	Asp. Tox. 1, H304
2-Ethylhexan-1-ol	CAS-No.: 104-76-7 EC-No.: 203-234-3 REACH-no: 01-2119487289- 20	1 – 1.99	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
cerium(3+)neodecanoaat	CAS-No.: 68084-49-1 EC-No.: 268-440-8	1 – 1.49	Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures)
First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Place the victim in semi-seated position. If not breathing, give artificial respiration. Seek medical advice.
First-aid measures after skin contact	: Seek medical attention if ill effect or irritation develops. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.
First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes. Seek medica attention if ill effect or irritation develops. Remove lenses.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Get immediate medical advice/attention.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Contact during a long period may cause light irritation.
Symptoms/effects after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	 Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Carbon dioxide. Alcohol resistant foam. Water fog. Foam. Powder. Dry chemical product.Do not use a heavy water stream.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions	Exercise caution when fighting any chemical fire.Exercise caution when fighting any chemical fire.
Protection during firefighting Other information	Do not enter fire area without proper protective equipment, including respiratory protection.At high temperature may liberate dangerous gases.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	equipment and emergency procedures	
General measures	: Clear all other personnel from the area. Eliminate every possible source of ignition. Ensure good ventilation of the work station.	
6.1.1. For non-emergency personnel Protective equipment	: Wear suitable protective clothing and gloves.	
6.1.2. For emergency responders Protective equipment	: Wear suitable protective clothing and gloves.	
6.2. Environmental precautions		

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Impound and recover large spill by mixing it with inert granular solids.	
Methods for cleaning up	: Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation.	
Other information	: Spill area may be slippery. Use suitable disposal containers.	
6.4. Reference to other sections		

No additional information available

SECTION 7: Handling and storage	•
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not breathe gas, fumes, vapour or spray. Do not eat, drink or smoke when using this product. Avoid all unnecessary exposure.
Handling temperature	: < 40 °C
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, inclu	uding any incompatibilities
Incompatible materials	: aluminium. Oxidizing agents.
Storage temperature	: ≤ 40 °C
Storage area	: Store in dry, cool, well-ventilated area.
Special rules on packaging	: Packaging destined for the general public must be fitted with child-proof closures and a tactile danger indication.

7.3. Specific end use(s)

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biological limit values		
Hydrocarbons, C11-C14, n-alkanes, iso-alkane	es, cyclic, <2% aromatics	
Netherlands - Occupational Exposure Limits		
TGG-15min (OEL STEL)	1200 mg/m ³	
	165 ppm	
2-Ethylhexan-1-ol (104-76-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5.4 mg/m ³	
	1 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	5.4 mg/m ³	
	1 ppm	
OEL C	10.8 mg/m ³	
	2 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	5.4 mg/m³	
	1 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	5.4 mg/m ³	
	1 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	5.4 mg/m ³	
	1 ppm	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	5.4 mg/m ³	
	0.999 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	5.4 mg/m ³	
	1 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	5.4 mg/m ³	
	1 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	5.4 mg/m ³	
	1 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	5.4 mg/m ³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-Ethylhexan-1-ol (104-76-7)			
	1 ppm		
Germany - Occupational Exposure Limits (TRG	S 900)		
AGW (OEL TWA)	54 mg/m ³		
	10 ppm		
AGW (OEL C)	54 mg/m ³		
AGW (OEL C) [ppm]	10 ppm		
Greece - Occupational Exposure Limits			
OEL TWA	5.4 mg/m ³		
	1 ppm		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	5.4 mg/m ³		
Ireland - Occupational Exposure Limits			
OEL TWA	5.4 mg/m ³		
	1 ppm		
Italy - Occupational Exposure Limits			
OEL TWA	5.4 mg/m ³		
	1 ppm		
Latvia - Occupational Exposure Limits			
OEL TWA	5.4 mg/m ³		
	1 ppm		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5.4 mg/m ³		
	1 ppm		
Netherlands - Occupational Exposure Limits			
TGG-8u (OEL TWA)	5.4 mg/m ³		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	5.4 mg/m ³		
Portugal - Occupational Exposure Limits			
OEL TWA	5.4 mg/m ³		
	1 ppm		
Romania - Occupational Exposure Limits	Romania - Occupational Exposure Limits		
OEL TWA	5.4 mg/m ³		
	1 ppm		
Slovakia - Occupational Exposure Limits			
NPHV (OEL TWA)	5.4 mg/m ³		
	1 ppm		
Slovenia - Occupational Exposure Limits			
OEL TWA	5.4 mg/m ³		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-Ethylhexan-1-ol (104-76-7)		
	1 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	5.4 mg/m ³	
	1 ppm	
Sweden - Occupational Exposure Limits	·	
NGV (OEL TWA)	5.4 mg/m ³	
	1 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	5.4 mg/m³	
	1 ppm	
Iceland - Occupational Exposure Limits		
OEL TWA	5.4 mg/m³	
	1 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	5.4 mg/m³	
	1 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	5.4 mg/m ³	
	1 ppm	
2-Ethylhexyl nitrate (27247-96-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	1 ppm 8h	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	3.5 mg/m ³	
NDSCh (OEL STEL)	7 mg/m³	
Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, <2% aromatics		
Belgium - Occupational Exposure Limits		
OEL TWA	200 mg/m ³	
8.1.2. Recommended monitoring procedures		

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Additional information

: 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

In case of splash hazard: safety glasses. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear suitable gloves resistant to chemical penetration

8.2.2.3. Respiratory protection

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

		1 Second
Physical state		Liquid
Colour	:	Yellow.
Appearance	:	Oily liquid.
Odour	:	Characteristic.
Odour threshold	:	Not available
Melting point	:	Not available
Freezing point	:	Not available
Boiling point	:	Not available
Flammability	:	Not available
Lower explosion limit	:	Not available
Upper explosion limit	:	Not available
Flash point	:	75 °C (ASTM D92)
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
рН	:	Not available
Viscosity, kinematic	:	2.21 mm²/s @40°C (ASTM D445)
Solubility	:	Slightly soluble, the product remains on the water surface.
Partition coefficient n-octanol/water (Log Kow)	:	Not available
Vapour pressure	:	Not available
Vapour pressure at 50°C	:	Not available
Density	:	825 kg/m³ @15°C (ASTM D4052)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative density	: Not available	
Relative vapour density at 20°C	: Not available	
Particle characteristics	: Not applicable	
9.2. Other information		
9.2.1. Information with regard to physica	al hazard classes	
No additional information available		
9.2.2. Other safety characteristics		
No additional information available		
SECTION 10: Stability and react	ivity	
10.1. Reactivity		

.

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

Overheating.

10.5. Incompatible materials

aluminium. acids. Bases. Strong oxidizers.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclic, <2% aromatics		
LD50 oral rat	> 5000 mg/kg OECD 401	
LD50 dermal rabbit	> 5000 mg/kg OECD 402	
LC50 Inhalation - Rat	> 5000 mg/m³ OECD 403	
2-Ethylhexan-1-ol (104-76-7)		
LD50 oral rat	2040 mg/kg	
LD50 dermal rat	1970 mg/kg	
LD50 dermal rabbit	> 3000 mg/kg	
LC50 Inhalation - Rat	> 0.89 mg/l/4h @4h	
LC50 Inhalation - Rat [ppm]	1 – 1.53 ppm @4h, OECD 403	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-Ethylhexyl nitrate (27247-96-7)		
LD50 oral rat	> 10000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, <2% aromatics		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat (Vapours)	> 4951 mg/l/4h OECD 403	
cerium(3+)neodecanoaat (68084-49-1)		
LD50 oral rat	2800 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2360 - 3320	
Skin corrosion/irritation :	Not classified	
Serious eye damage/irritation :	Not classified	
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
2-Ethylhexan-1-ol (104-76-7)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	
2-Ethylhexan-1-ol (104-76-7)		
NOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day	
Aspiration hazard :	May be fatal if swallowed and enters airways.	
CHAMPION DIESEL PARTICULATE FILTER CLEANER		
Viscosity, kinematic	2.21 mm ² /s @40°C (ASTM D445)	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		
No additional information available		
11.2.2. Other information		

Potential adverse human health effects and symptoms

: Inhalation of vapours may cause respiratory irritation,May cause sensitization by inhalation and skin contact,May result in aspiration into the lungs, causing pneumonia,Prolonged or repeated contact may cause skin to become dry or cracked,May cause irritation to the eyes

SECTION 12: Ecological information

12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	Not classified
Hazardous to the aquatic environment, long-term : (chronic)	Toxic to aquatic life with long lasting effects.
2-Ethylhexan-1-ol (104-76-7)	
LC50 - Fish [1]	17.1 mg/l (Leuciscus idus melanotus)
LC50 - Fish [2]	28.2 mg/l (Pimephales promelas)
EC50 - Crustacea [1]	39 mg/l (Daphnia magna)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-Ethylhexan-1-ol (104-76-7)		
EC50 72h - Algae [1]	16.6 mg/l (Scenedesmus quadricauda)	
ErC50 other aquatic plants	540 mg/l (Pseudomonas putida) @0.1d	
2-Ethylhexyl nitrate (27247-96-7)		
LC50 - Fish [1]	2 mg/l (Brachydanio rerio)	
EC50 - Crustacea [1]	0.83 mg/l (Daphnia magna)	
EC50 72h - Algae [1]	> 2.53 mg/l	
Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, <2% aromatics		
LC50 - Fish [1]	> 1000 mg/l (Oncorhynchus mykiss)	
EC50 - Crustacea [1]	> 1000 mg/l (Daphnia magna)	
EC50 72h - Algae [1]	> 1000 mg/l (Pseudokirchneriella subcapitata)	
cerium(3+)neodecanoaat (68084-49-1)		
EC50 72h - Algae [1]	0.63 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	1.1 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	

12.2. Persistence and degradability

CHAMPION DIESEL PARTICULATE FILTER CLEANER		
Persistence and degradability	Not soluble in water, so only minimally biodegradable.	
Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclic, <2% aromatics		
Persistence and degradability	Rapidly degradable	
2-Ethylhexan-1-ol (104-76-7)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	100 % (OECD 301C) @14d	
2-Ethylhexyl nitrate (27247-96-7)		
Persistence and degradability	Not readily biodegradable	
Biodegradation	0 %	
Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, <2% aromatics		
Persistence and degradability	Rapidly degradable	
Biodegradation	80 % (OECD 301F) @28d	
cerium(3+)neodecanoaat (68084-49-1)		
Persistence and degradability	Not rapidly degradable	
12.3. Bioaccumulative potential		
2-Ethylhexan-1-ol (104-76-7)		
Bioconcentration factor (BCF REACH)	25.35	
Partition coefficient n-octanol/water (Log Pow)	2.9	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-Ethylhexyl nitrate (27247-96-7)		
Partition coefficient n-octanol/water (Log Pow)	5.24	
12.4. Mobility in soil		
2-Ethylhexan-1-ol (104-76-7)		
Mobility in soil	1.42	
2-Ethylhexyl nitrate (27247-96-7)		
Mobility in soil	3.75	
Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, <2% aromatics		
Ecology - soil	Volatile liquid.	
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Additional information	: Dispose in a safe manner in accordance with local/national regulations.
SECTION 14: Transport information	
In accordance with ADR / IMDG / IATA / ADN / RID	
14.1. UN number or ID number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	 UN 3082 UN 3082 UN 3082 UN 3082 UN 3082 UN 3082
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR)	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-Ethylhexyl nitrate ; DIESEL PARTICULATE FILTER CLEANER ; 2-Ethylhexyl nitrate), 9, III, (-)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-Ethylhexyl nitrate), 9, III, MARINE POLLUTANT
Transport document description (IATA) Transport document description (ADN)	 : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (2-Ethylhexyl nitrate), 9, III : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-Ethylhexyl nitrate), 9, III

Transport document description (RID)

nitrate), 9, III

: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-Ethylhexyl

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) Danger labels (ADR)



IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)



: 9


: 9 :

ΙΑΤΑ

Transport hazard class(es) (IATA) Danger labels (IATA)

ADN

Transport hazard class(es) (ADN) Danger labels (ADN)



RID

Transport hazard class(es) (RID) Danger labels (RID)



14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN)	: III : III : III : III
Packing group (RID) 14.5. Environmental hazards	: III
Dangerous for the environment Marine pollutant Other information	: Yes : Yes : No supplementary information available
14.6. Special precautions for user	
Overland transport Classification code (ADR)	: M6

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 amend	ed by Regulation (EO) 2020/878
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(ADR)	. 161,1629
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading	: CV13
and handling (ADR)	
Hazard identification number (Kemler No.)	: 90
Orange plates	
	<u>90</u> 3082
	2000
	3082
Turnel restriction and (ADD)	
Tunnel restriction code (ADR)	: -
EAC code	: •3Z
Transmission in the second	
Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
	. 52
Inland waterway transport	
Classification code (ADN)	: M6
Special provisions (ADN)	274, 335, 375, 601
Limited quantities (ADN)	: 5 L
	: E1
Excepted quantities (ADN)	: T
Carriage permitted (ADN)	: PP
Equipment required (ADN)	: PP : 0
Number of blue cones/lights (ADN)	. U
Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
	, 12000, El 01, 1001

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special packing provisions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions	:	PP1 MP19 T4 TP1, TP29
(RID) Tank codes for RID tanks (RID) Transport category (RID) Special provisions for carriage – Packages (RID) Special provisions for carriage - Loading, unloading	:	LGBV 3 W12 CW13, CW31
and handling (RID) Colis express (express parcels) (RID) Hazard identification number (RID)	-	CE8 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germany	
Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	 WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: cerium(3+)neodecanoaat is listed
SZW-lijst van mutagene stoffen	: cerium(3+)neodecanoaat is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
1.1	UFI on SDS 1.1	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	EUH-statements	Removed	
2.2	Hazard pictograms (CLP)	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
5.3	EAC code	Added	
14.1	UN-No. (ADN)	Added	
14.1	UN-No. (IATA)	Added	
14.1	UN-No. (IMDG)	Added	
14.1	UN-No. (ADR)	Added	
14.2	Proper Shipping Name (ADN)	Added	
14.2	Proper Shipping Name (ADR)	Added	
14.3	Danger labels (RID)	Added	
14.3	Danger labels (ADR)	Added	
14.3	Class (ADR)	Added	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
14.4	Packing group (ADN)	Added	
14.4	Packing group (IATA)	Added	
14.4	Packing group (IMDG)	Added	
14.4	Packing group (ADR)	Added	
14.6	Special provisions (ADN)	Added	
14.6	Special packing provisions (IMDG)	Added	
14.6	Packing instructions (IMDG)	Added	
14.6	Transport category (ADR)	Added	
14.6	Special provisions (ADR)	Added	
14.6	Excepted quantities (ADR)	Added	
14.6	Limited quantities (ADR)	Added	
14.6	Tunnel restriction code (ADR)	Added	
14.6	Hazard identification number (Kemler No.)	Added	
14.6	Classification code (ADR)	Added	

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.