

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 09/09/2014 Revision date: 13/12/2023 Supersedes version of: 29/03/2023 Version: 4.6

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : MULTIGRADE MS-BHDI SAE 0W30

Product code : 65615
Type of product : WOC
Product group : Blend

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Industrial/Professional use spec : Non-dispersive use
Used in closed systems

: Lubricants and additives

1.2.2. Uses advised against

Function or use category

No additional information available

### 1.3. Details of the supplier of the safety data sheet

WOLF OIL CORPORATION N.V.

Georges Gilliotstraat, 52 2620 Hemiksem – Antwerpen

2020 Hellikselli

T 0032 (0)3 870 00 00 - F 0032 (0)3 870 00 99

msds@wolfoil.com

# 1.4. Emergency telephone number

Emergency number : 0032 (0)3 870 00 00

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090	+356 2545 6508	
Sweden	Giftinformationscentralen	Box 60 500 171 76 Stockholm	112 – begär Giftinformation +46 10 456 6700 (Från utlandet)	

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

13/12/2023 (Revision date) EN (English) 1/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains molybdenum polysulphide long chain alkyl dithiocarbamate complex,

C14-16-18 Alkylphenol. May produce an allergic reaction. EUH210 - Safety data sheet available on request.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Comments : The mineral oils in the product contain < 3% DMSO extract (IP 346)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33	1 – 2.49	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
molybdenum polysulphide long chain alkyl dithiocarbamate complex	EC-No.: 457-320-2 REACH-no: 01-0000019337- 66	0.1 – 0.99	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
C14-16-18 Alkylphenol	CAS-No.: 1190625-94-5 EC-No.: 931-468-2 REACH-no: 01-2119498288- 19	0.1 – 0.24	Skin Sens. 1, H317 STOT RE 2, H373

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)	EC-No.: 298-577-9	(6.25 ≤ C < 100) Skin Irrit. 2, H315 (10 ≤ C < 12.5) Eye Irrit. 2, H319 (12.5 ≤ C < 100) Eye Dam. 1, H318	

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures after inhalation : Not expected to require first aid measures. First-aid measures after skin contact : Wash skin with mild soap and water.

13/12/2023 (Revision date) EN (English) 2/12 13/12/2023 (Printing date)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of

normal use.

Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal

use.

Symptoms/effects after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of

normal use.

Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of

normal use.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water fog. Foam. Powder. Dry chemical product.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Impound and recover large spill by mixing it with inert granular solids.

Methods for cleaning up : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.

Other information : Spill area may be slippery. Use suitable disposal containers.

# 6.4. Reference to other sections

No additional information available

13/12/2023 (Revision date) EN (English) 3/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are

usually required.

Handling temperature : < 40 °C

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : ≤ 40 °C

Storage area : Store in dry, cool, well-ventilated area.

# 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

MULTIGRADE MS-BHDI SAE 0W30		
Belgium - Occupational Exposure Limits		
Local name	Huiles minérales (brouillards) # Olie (minerale-; nevel)	
OEL TWA	5 mg/m³	
OEL STEL	10 mg/m³	
Regulatory reference	Koninklijk besluit/Arrêté royal 02/09/2018	
molybdenum polysulphide long chain alkyl dithiocarbamate complex		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Molybdenum polysulphide long chain alkyl dithiocarbamate complex	
IOEL TWA	10 mg/m³	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	5 mg/m³	
ACGIH OEL STEL	10 mg/m³	

# 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

13/12/2023 (Revision date) EN (English) 4/12

13/12/2023 (Printing date)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Safety glasses. Gloves.

### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

#### Eve protection:

Standard EN 166 - Personal eye-protection.

#### 8.2.2.2. Skin protection

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

#### Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

#### 8.2.2.3. Respiratory protection

### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

No additional information available

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : brown. **Appearance** Oily liquid. Odour Characteristic. : Not available Odour threshold Melting point : Not available Freezing point : Not available **Boiling point** : Not available Flammability : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : > 200 °C (ASTM D92)

Auto-ignition temperature : Not available Decomposition temperature : Not available Not available рΗ

Viscosity, kinematic 52 mm<sup>2</sup>/s @ 40°C (ASTM D445)

Solubility Slightly soluble, the product remains on the water surface.

Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure Not available Vapour pressure at 50°C Not available

Density 842 kg/m3 @15°C (ASTM D4052)

Relative density Not available Relative vapour density at 20°C Not available Particle characteristics Not applicable

EN (English) 5/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal conditions.

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

# 10.6. Hazardous decomposition products

None under normal conditions.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

molybdenum polysulphide long chain alkyl dithiocarbamate complex	
LD50 oral rat	> 2000 mg/kg OECD 425
LD50 dermal rat	> 2000 mg/kg OECD 402
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)	
LD50 oral rat	2600 mg/kg 67/548/EEG annex V
LD50 dermal rabbit	> 3160 mg/kg OECD 402
LC50 Inhalation - Rat	> 2 mg/l @1h - OECD 403 - read across

Skin corrosion/irritation : Not classified

molybdenum polysulphide long chain alkyl dithiocarbamate complex	
Skin corrosion/irritation, rabbit	(4 Hours, (OECD 404 method), Causes skin irritation.)
Serious eve damage/irritation :	Not classified

Respiratory or skin sensitisation : Not classified

molybdenum polysulphide long chain alkyl dithiocarbamate complex	
Respiratory or skin sensitisation, Guinea pig	(OPPTS 870.2600, Causes sensitisation)
	N

Germ cell mutagenicity : Not classified

13/12/2023 (Revision date) EN (English) 6/12 13/12/2023 (Printing date)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carcinogenicity : Not classified Reproductive toxicity : Not classified

Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)	
NOAEL (animal/male, F0/P)	160 mg/kg OECD 422
NOAEL (animal/female, F0/P)	160 mg/kg OECD 422

STOT-single exposure : Not classified STOT-repeated exposure : Not classified

molybdenum polysulphide long chain alkyl dithiocarbamate complex		
NOAEL (oral, rat, 90 days)  1000 mg/kg bodyweight/day Daily, OECD 407		
NOAEL (dermal, rat/rabbit, 90 days) 670 mg/kg bodyweight/day Daily, OECD 410		
C14-16-18 Alkylphenol (1190625-94-5)		
STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.		
Application beyond		

Aspiration hazard : Not classified

MULTIGRADE MS-BHDI SAE 0W30	
Viscosity, kinematic	52 mm <sup>2</sup> /s @ 40°C (ASTM D445)

# 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

(chronic)		
molybdenum polysulphide long chain alkyl dithiocarbamate complex		
LC50 - Fish [1]	> 94.8 mg/l OECD 203, Oncorhynchus mykiss	
LC50 - Fish [2]	> 670 mg/l OECD 203, Oncorhynchus mykiss	
EC50 - Crustacea [1]	50 mg/l OECD 202, Daphnia magna	
EC50 72h - Algae [1]	14 mg/l OECD 201, Pseudokirchneriella subcapitata	
NOEC (acute)	94.8 mg/l OECD 203 (Oncorhynchus mykiss, 96h)	
NOEC chronic crustacea	100 mg/l @21d, OECD 211, Daphnia Magna	
NOEC chronic algae	4.05 mg/l	
C14-16-18 Alkylphenol (1190625-94-5)		
LC50 - Fish [1]	> 100 mg/l Cyprinus carpio	
EC50 - Crustacea [1]	> 100 mg/l Daphnia Magna	
EC50 72h - Algae [1]	> 100 mg/l Selenastrum capricomutum	
NOEC chronic algae	100 mg/l Selenastrum capricomutum	
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)		
LC50 - Fish [1]	4.5 mg/l OECD 203, Oncorhynchys mykiss	
EC50 - Crustacea [1]	5.4 mg/l OECD 202, Daphnia magna	

13/12/2023 (Revision date) EN (English) 7/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)	
EC50 72h - Algae [1]	2.1 mg/l OECD 201, Selenastrum capricornutum

# 12.2. Persistence and degradability

MULTIGRADE MS-BHDI SAE 0W30		
Persistence and degradability  Not soluble in water, so only minimally biodegradable.		
molybdenum polysulphide long chain alkyl dithiocarbamate complex		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	23 % @29d, 29,04 mg/L, OECD 301B	
C14-16-18 Alkylphenol (1190625-94-5)		
Biodegradation	6 % @28 d, OECD TG 301B	
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)		
Biodegradation	1.5 % @28d, 10 mg/L, OECD 301B	

# 12.3. Bioaccumulative potential

molybdenum polysulphide long chain alkyl dithiocarbamate complex		
BCF - Fish [1] OECD 305 (Cyprinus carpio, 25°C)		
Bioconcentration factor (BCF REACH) 88 OECD 305 (Cyprinus carpio - @25°C - 0,05mg/l)		
C14-16-18 Alkylphenol (1190625-94-5)		
Partition coefficient n-octanol/water (Log Kow) > 7.2		
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)		
Partition coefficient n-octanol/water (Log Pow) 0.9 @23°C		

# 12.4. Mobility in soil

molybdenum polysulphide long chain alkyl dithiocarbamate complex	
Ecology - soil Adsorbs to soil after emission.	
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)	
Ecology - soil Adsorbs to soil after emission.	

# 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

 13/12/2023 (Revision date)
 EN (English)
 8/12

 13/12/2023 (Printing date)
 8/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

### 14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

**IATA** 

Transport hazard class(es) (IATA) : Not applicable

**ADN** 

Transport hazard class(es) (ADN) : Not applicable

**RID** 

Transport hazard class(es) (RID) : Not applicable

# 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available

## 14.6. Special precautions for user

#### **Overland transport**

No data available

#### Transport by sea

No data available

#### Air transport

No data available

### **Inland waterway transport**

No data available

### Rail transport

No data available

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

13/12/2023 (Revision date) EN (English) 9/12

13/12/2023 (Printing date)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 10-13 - Other combustible and non-combustible substances.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) is listed

SZW-lijst van mutagene stoffen : Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Sweden

Swedish product registration number : 684453-4

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

### **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	

13/12/2023 (Revision date) EN (English) 10/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
3	Composition/information on ingredients	Modified	
9.1	Flash point	Modified	
9.1	Density	Modified	
9.1	Viscosity, kinematic	Modified	

Abbreviations and	acronyms:
	ACGIH: American Conference of Governmental Industrial Hygienists
	TWA: Time Weighted Average
	TLV: Threshold Limit Value
	ASTM: American Society for Testing and Materials
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	IMDG: International Maritime Dangerous Goods
	ICAO: International Civil Aviation Organization
	IATA: International Air Transport Association
	STEL: Short Term Exposure Limit
	LD50: median Lethal Dose for 50% of subjects
	ATE: acute toxicity estimate
	LC50: median Lethal Concentration for 50% of subjects
	EC50: concentration producing 50% effect

### Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH208	Contains molybdenum polysulphide long chain alkyl dithiocarbamate complex, C14-16-18 Alkylphenol. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H315	Causes skin irritation.

13/12/2023 (Revision date) EN (English) 11/12 13/12/2023 (Printing date)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.