

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 01/06/2018 Revision date: 12/10/2022 Supersedes version of: 22/10/2020 Version: 1.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : CHAMPION COMPETE ATF DEXRON III

Product code : 75952

Type of product : CHAMPION

Product group : Blend

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Industrial/Professional use spec : Non-dispersive use
Used in closed systems

Function or use category : Lubricants and additives

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

CHAMPION CHEMICALS N.V.

Georges Gilliotstraat, 52

2620 Hemiksem – Antwerpen

België

T 0032 (0)3 870 00 00 - F 0032 (0)3 870 00 99

msds@wolfoil.com - https://www.championlubes.com

## 1.4. Emergency telephone number

Emergency number : 0032 (0)3 870 00 00

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

12/10/2022 (Revision date) EN (English) 1/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1- propanamine	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Comments

: The mineral oils in the product contain < 3% DMSO extract (IP 346)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889- 13	0.8316	Not classified
Distillates (petroleum), solvent-dewaxed light paraffinic	CAS-No.: 64742-56-9 EC-No.: 265-159-2 EC Index-No.: 649-469-00-9	0.8316	Not classified
Reaction product of alkylthioalcohol and substituted phosphorus compound	EC-No.: 424-820-7 REACH-no: 01-0000017126- 75	0.1 – 0.24	Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1- propanamine	EC-No.: 930-859-5 REACH-no: 01-2120763467- 44	0.0756	Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Distillates (petroleum), hydrotreated light naphthenic	CAS-No.: 64742-53-6 EC-No.: 265-156-6 EC Index-No.: 649-466-00-2 REACH-no: 01-2119480375- 34	0.0059	Not classified
Naphtalenol-2, [[(phenylazo)-4 phenyl]azo]-1	CAS-No.: 92257-31-3 EC-No.: 296-120-8	0.0044	Repr. 2, H361f STOT RE 2, H373 Aquatic Chronic 4, H413

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation : Not expected to require first aid measures. First-aid measures after skin contact : Wash skin with mild soap and water.

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

12/10/2022 (Revision date) EN (English) 2/12

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of

normal use.

Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal

use.

Symptoms/effects after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of

normal use

Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of

normal use.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water fog. Foam. Powder. Dry chemical product.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Impound and recover large spill by mixing it with inert granular solids.

Methods for cleaning up : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.

Other information : Spill area may be slippery. Use suitable disposal containers.

### 6.4. Reference to other sections

No additional information available

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are

usually required.

Handling temperature : < 40 °C

12/10/2022 (Revision date) EN (English) 3/12 12/10/2022 (Printing date)

## Safety Data Sheet

Hygiene measures

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : ≤ 40 °C

Storage area : Store in dry, cool, well-ventilated area.

### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	
Netherlands - Occupational Exposure Limits	
Local name	smeeroliën (aardolie), C24-50-, solventgeëxtraheerd, van was ontdaan, gehydrogeneerd
TGG-8u (OEL TWA)	5 mg/m³
Remark	Nevels

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

Additional information

: 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

### Personal protective equipment:

Safety glasses. Gloves.

### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

No additional information available

## 8.2.2.2. Skin protection

## Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

12/10/2022 (Revision date) EN (English) 4/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

No additional information available

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : red. Appearance : Oily liquid. Odour : Characteristic. Odour threshold : Not available Melting point : Not available Freezing point : Not available **Boiling point** : Not available Flammability : Not available Explosive limits : Not available : Not available Lower explosion limit : Not available Upper explosion limit

Flash point : > 200 °C @ ASTM D92

Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : Not available
Viscosity, kinematic : 32 mm²/s @ 40°C

Solubility : Slightly soluble, the product remains on the water surface.

Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : Not available
Vapour pressure at 50 °C : Not available
Density : 849 kg/m³ @15°C
Relative density : Not available
Relative vapour density at 20 °C : Not available
Particle characteristics : Not applicable

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

None under normal conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

12/10/2022 (Revision date) EN (English) 5/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 10.3. Possibility of hazardous reactions

None under normal conditions.

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

### 10.6. Hazardous decomposition products

None under normal conditions.

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation)

Reaction product of alkylthioalcohol and substituted phosphorus compound	
LD50 oral	> 2000 mg/kg @67/548/EEG, Annexe V,B3
LD50 dermal	> 500 mg/kg @67/548/EEG Annexe V,B3

N,N-bis(2-hydroxyethyl)-	3-[(C16-18)alkoxy]-1-propanamine
--------------------------	----------------------------------

LD50 oral rat	> 2000 mg/kg OECD 401
LD50 dermal rabbit	> 2000 mg/kg OECD 402

Distillates	(petroleum	), solvent-c	lewaxed lig	ht paraffinic	(64742-56-9)
-------------	------------	--------------	-------------	---------------	--------------

LD50 oral rat		> 5000 mg/kg
	LD50 dermal rabbit	> 5000 mg/kg
	LC50 Inhalation - Rat (Dust/Mist)	5.53 mg/l/4h

### Naphtalenol-2, [[(phenylazo)-4 phenyl]azo]-1 (92257-31-3)

LD50 oral rat	> 5000 mg/kg
LD50 dermal	> 2000 mg/kg bodyweight

## Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 5.53 mg/l/4h

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

### N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine

Additional information	: (OECD 471)
------------------------	--------------

: Not classified Carcinogenicity Reproductive toxicity : Not classified

12/10/2022 (Revision date) EN (English) 6/12

12/10/2022 (Printing date)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine			
NOAEL (animal/male, F0/P)	100 mg/kg OECD 421		
NOAEL (animal/female, F0/P)	100 mg/kg OECD 421		
NOAEL (animal/male, F1)	100 mg/kg OECD 421		
NOAEL (animal/female, F1)	100 mg/kg OECD 421		
STOT-single exposure : Not classified			
STOT-repeated exposure :	Not classified		
N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-	N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine		
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight/day		
Naphtalenol-2, [[(phenylazo)-4 phenyl]azo]-1 (92257-31-3)			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard : Not classified			
CHAMPION COMPETE ATF DEXRON III			
Viscosity, kinematic	32 mm²/s @ 40°C		
Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)			
Viscosity, kinematic	3.6 mm²/s		

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

Reaction product of alkylthioalcohol and substituted phosphorus compound		
LC50 - Fish [1]	1.5 mg/l OECD 203 (Oncorhynchus mykiss)	
EC50 - Crustacea [1]	0.09 mg/l OECD 202 (Daphnia magna)	
EC50 72h - Algae [1]	0.31 mg/l Method 67/548/EEC, Annex V, C.3 (Pseudokirchneriella subcapitata)	
N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine		
LC50 - Fish [1]	690 mg/l Cyprinodon variegatus - OECD 203	
EC50 - Other aquatic organisms [1]	> 4 mg/l Daphnia magna - OECD 202	
EC50 72h - Algae [1]	0.25 mg/l Pseudokirchneriella subcapitata - OECD 201	
Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)		
LC50 - Fish [1]	> 100 mg/l @96h LL50	
LC50 - Other aquatic organisms [1]	> 10000 mg/l @96h - Aquatic invertebrates- LL50	
NOEC (acute)	> 100 mg/l Algae - NOEL	
NOEC (chronic)	10 mg/l Aquatic invertebrates - NOEL	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.2. Persistence and degradability

CHAMPION COMPETE ATF DEXRON III		
Persistence and degradability	Not soluble in water, so only minimally biodegradable.	
Reaction product of alkylthioalcohol and substituted phosphorus compound		
Persistence and degradability	Limited biodegradability.	
Biodegradation	52.9 %	
N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine		
Persistence and degradability	Not readily biodegradable.	
ThOD	0.01 g O2/l @28 d - OECD 301 B	
Biodegradation	56.8 % @28 d - OECD 301 B	
Naphtalenol-2, [[(phenylazo)-4 phenyl]azo]-1 (92257-31-3)		
Persistence and degradability	Not readily biodegradable.	
Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)		
Persistence and degradability	May biodegrade.	

### 12.3. Bioaccumulative potential

N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine		
Partition coefficient n-octanol/water (Log Pow) > 5.2 @25°C		
Bioaccumulative potential	No data available.	
Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)		
Partition coefficient n-octanol/water (Log Pow) 6		
Partition coefficient n-octanol/water (Log Kow) > 3		

## 12.4. Mobility in soil

N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine	
Ecology - soil	No information available.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	
Ecology - soil	Adsorbs into the soil.

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

12/10/2022 (Revision date) EN (English) 8/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

### 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

## 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

## 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

### **Overland transport**

Not applicable

## Transport by sea

Not applicable

### Air transport

Not applicable

12/10/2022 (Revision date) EN (English) 9/12

12/10/2022 (Revision date)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

SZW-lijst van mutagene stoffen

#### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : Distillates (petroleum), solvent-dewaxed light paraffinic, Naphtalenol-2, [[(phenylazo)-4

phenyl]azo]-1,Distillates (petroleum), hydrotreated light naphthenic are listed

Distillates (petroleum), solvent-dewaxed light paraffinic,Naphtalenol-2, [[(phenylazo)-4

: Distillates (petroleum), solvent-dewaxed light paraffinic, Naphtalehol-2, [[(phenylazo)-4

phenyl]azo]-1,Distillates (petroleum), hydrotreated light naphthenic are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen –

Vruchtbaarheid

None of the components are listedNone of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

**Denmark** 

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids

12/10/2022 (Revision date) EN (English) 10/12

12/10/2022 (Revision date)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
2.2	Precautionary statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
7.2	Storage temperature	Modified	

Abbreviations and acronyms:	
	ACGIH: American Conference of Governmental Industrial Hygienists
	TWA: Time Weighted Average
	TLV: Threshold Limit Value
	ASTM: American Society for Testing and Materials
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	IMDG: International Maritime Dangerous Goods
	ICAO: International Civil Aviation Organization
	IATA: International Air Transport Association
	STEL: Short Term Exposure Limit
	LD50: median Lethal Dose for 50% of subjects
	ATE: acute toxicity estimate
	LC50: median Lethal Concentration for 50% of subjects
	EC50: concentration producing 50% effect

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1

12/10/2022 (Revision date) EN (English) 11/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.